SOUDAL NZ PRODUCT NZ PALOGUE.

EXPERTS IN SEALANTS, FOAMS & ADHESIVES





WHEN
YOUR TASK
REQUIRES A
SOLUTION,
WE KNOW
YOU NEED
TO MAKE
ONE, SIMPLE,
STRONG
DECISION.

We're building our business around that moment. By putting our customers at the centre of our business, we're promising that it's not just our technically advanced products that are up to the task, but that you're up to it too.





CONTENTS

SECTION 01

EXPANDING FOAMS

- 80 Gorilla Pro Expanding Foam Click & Fix
- Gorilla Pro Expanding Foam Aerosol 80
- 08 Gorilla Smart Expanding Foam
- 09 Gorilla Flexi Expanding Foam Click & Fix
- 09 Gorilla Fire Rated Expanding Foam
- 09 Gorilla Foam Gun Click & Fix
- 10 Gorilla Expanding Foam Cleaner Click & Fix
- 10 Gorilla MS Expanding Foam
- 10 Gorilla Expanding Foam Remover
- 11 Gorilla Pro Foam Starter Pack
- Gorilla Fire Rated Starter Pack

SILICONES

- Gorilla Bathroom & Kitchen Silicone
- Gorilla Plumbers Silicone 16
- 16 Gorilla Roof & Gutter Silicone
- 17 Gorilla Electrical Silicone
- 17 Gorilla Glass & Ceramic Silicone
- 17 Gorilla 970 Sanitary Silicone
- 18 Gorilla 980 Plumbers Silicone
- 18 Gorilla High Temp Silicone
- 18 Gorilla Silicone Remover
- Soudal Silirub Cleanroom Silicone
- Gorilla RTV Silicone Sealer

CONSTRUCTION **ADHESIVES**



12 Gorilla Grip 10 Minute Cure

12 Gorilla Grip 1 Hour Cure

12 Gorilla Grip 2 Hour Cure

13 Gorilla Wallboard Adhesive


13 Soudal Soudaseal 240FC MS Adhesive

Gorilla Boltfix Anchoring Adhesive

GAP **FILLERS**

- 20 Gorilla Pro Gaps Multipurpose
- 20 Gorilla Pro Gaps Quick Dry
- 20 Gorilla Pro Gaps All in One
- 21 Gorilla Pro Gaps Exterior
- 21 Gorilla Bog
- 21 Gorilla Patching Compound
- Gorilla Plumbers Putty
- 22 Gorilla Linseed Putty

MS **SEALANTS & ADHESIVES**



14 Gorilla FixALL High Tack

15 Gorilla FixALL Turbo

Soudal Soudaseal 270HS 15

Gorilla Sealant Remover Spray

FIRE RATED **SEALANTS**

SECTION 06

SECTION

04

SECTION

05

- Gorilla Firecryl Acrylic Sealant
- Gorilla Firesil Silicone Sealant
- 23 Gorilla Fire Cement Silicone Sealant
- Soudal Soudaseal Firestop MS Sealant

SECTION

03

SECTION 07

AUTOMOTIVE

- Gorilla High Temp Silicone
- Gorilla 940FC Automotive Sealant
- Carbond 955DG Windscreen Sealant 25
- Carbond 955DG Windscreen Primer 26

SECTION 08

FLOORING

- Gorilla MS Flooring Vapour Barrier Kit 27
- 27 Gorilla MS Flooring Adhesive
- Gorilla MS Flooring Trowel



WATER **PROOFING**

- Gorilla WaterStop 1000 Waterproof Repair
- Gorilla Waterstop Protect Waterproofing Membrane
- 28 Gorilla BlackJack Bituminous Liquid Waterproofer



SECTION

10

WOOD **ADHESIVES** & PVAs

- Gorilla Glue Premium 1 Hour Cure
- Gorilla Glue Premium 3 Hour Cure 29
- 29 Gorilla Aliphatic PVA
- 30 Gorilla Bond It On Aliphatic
- 30 Gorilla Crosslinking PVA
- Gorilla PVA General Purpose



SECTION

SUPER GLUES & ULTRA-**BONDERS**

- 31 Gorilla Super Glue Power Liquid

Gorilla Super Glue Easy Brush Adhesive

- Gorilla Super Glue Power Gel
- 32 Soudal Ultrabonder Mousetail Nozzle
- 32 Soudal Ultrabonder 601 & 606
- Soudal Ultrabonder 909



SPECIALTY ADHESIVES

SECTION **12**

- 33 Soudal 2C Super Fast Adhesive
- 33 Gorilla Green Fix
- 33 Gorilla Mirror Fix
- 34 Gorilla Contact Adhesive
- 34 Gorilla H2 Contact Adhesive

PRIMERS & ACTIVATORS

SECTION 13

- 35 Gorilla 696 Surface Activator
- 35 Gorilla Primer 150
- 35 Gorilla Silicone Spray
- 36 Gorilla 8 in 1 Multi Spray
- 36 Gorilla Zinc Spray
- 36 Soudal Underbody Protective Coating
- 37 Soudal Anti-Gravel Protective Coating
- 37 Soudal Incoat ML Cavity Protection Wax
- 37 Soudal Primer 100

CONTENTS



TIMBER PROTECTORS

section 14

- 38 Metalex Wood Protector
- 38 Metalex Timber Preservative Aerosol
- **38** Metalex Concentrated Timber Preservative
- 39 Metalex Ready to Use



MANHOLE SEALANT & CONCRETE

SECTION

- 40 Soudal Manhole Sealant
- **40** Gorilla Holdcrete Concrete Epoxy Repair
- **40** Gorilla Powercrete 7min Cure Mortar Repair



WIPES

16

- 41 Gorilla Trade Tough Wipes
- 41 Gorilla Extra Tough Wipes
- 41 Gorilla Paint & Glue Wipes

GUNS

- 42 Gorilla Click & Fix Foam Gun
- 42 Gorilla FixALL Pro 600 Gun
- 42 Gorilla Pro Gun
- 43 Gorilla FixALL MS Gun Heavy Duty
- 43 Gorilla FixALL MS 600 Expert Plus
- 43 Gorilla FixALL Skeleton Dripless Gun
- 44 Gorilla FixALL Trade Gun

H PACKERS & WEDGES

ECTION

- 45 Gorilla H Packers 83mm
- 45 Gorilla H Packers Original
- 45 Gorilla H Packers Click n Fix
- 46 Gorilla Wooden Wedges
- 46 Gorilla Plastic Wedges



PEF ROD

- 47 Gorilla PEF Rod 20m
- 47 Gorilla PEF Rod 50m

TAPES

- 48 Gorilla Builders' PVC Tape
- 48 Gorilla General Purpose Masking Tape
- 48 Gorilla Low Tack Masking Tape
- 49 Gator Vinyl Masking Tape
- 49 Gorilla Supreme PVC Tape
- 49 Gorilla Paint Masker Cloth Tape
- **50** Gator Cloth Duct Tape
- 50 Gator Foil Tape
- **50** Gorilla Thread Seal Tape
- **51** Gator Bond Breaker Tape
- **51** Gator Double Sided Foam Tape
- **51** Gator Black Jack DPC Plastic Tape
- **52** Gator VHB Acrylic Double Sided Tape
- **52** Gator VHB Double Sided Tape
- **52** Gator SP Surface Protection Tape
- **53** Gator Electrical Insulation Tape
- **53** Gator Insulation Tape
- **53** Gorilla Guard Tape
- **54** Gorilla Paint Masker Cloth Tape w/ Film
- **54** Gorilla Non-Slip Tape

20

DELIVERING YOU INNOVATION.

At our production sites across the world, we have teams of scientists, engineers and application technicians developing state-of-the-art formulations, packaging and accessories to perfectly suit the demands of builders and trade professionals around the world.

Driven by the will to continuously improve and to provide better and more environmentally friendly solutions for our customers, Soudal is leading from the front in product innovation.

We invest more than NZD\$30,000,000 each year into research and development.





01 EXPANDING FOAMS

Gorilla Pro Expanding Foam Click & Fix



DESCRIPTION

Gorilla Pro Expanding Foam Click & Fix is the market-leading single-component self-expanding ready-to-use polyurethane foam using CFC-free propellants. Fitted with a patented Click & Fix adaptor for use only with the Gorilla Foam Gun Click & Fix (20106).

| Colour | Size | Code |
|-----------|-------|-------|
| Champagne | 750ml | 20088 |

FEATURES & BENEFITS

- · Expanding polyurethane foam
- High thermal and acoustical isolation
- · Excellent bonding and installing capacity
- BRANZ Appraised

- Insulates and adheres
- Stops air transmission



Gorilla Pro Expanding Foam Aerosol



DESCRIPTION

A single-component self-expanding ready-touse polyurethane foam, perfect for the DIYer. Uses CFC-free propellants.

| Colour | Size | Code |
|-----------|-------------------|-------|
| Champagne | 750ml | 20048 |
| Champagne | 400ml | 20050 |
| - | 3pk spare nozzles | 21387 |

FEATURES & BENEFITS

- BRANZ Appraised
- Excellent adhesion on most materials (except PE/PP)
- · High thermal and acoustic isolation
- Excellent bonding and installing capacity
- Excellent mounting ability
- Remains waterproof providing the integrity of the cured foam skin is maintained



Gorilla Smart Expanding Foam



DESCRIPTION

Gorilla Smart Expanding Foam is a ready-to-use self-expanding polyurethane foam unique to Soudal. The smart 'gunless' applicator system makes the application of PU foam very easy and precise. The extrusion straw can be resealed, which makes it possible to continue application from a partially used canister for several weeks. CFC-free propellants.

| Colour | Size | Code |
|-----------|-------|-------|
| Champagne | 600ml | 20252 |
| Champagne | 750ml | 20250 |

- · Revolutionary smart applicator gun
- Allows for easy accurate one-handed application
- Re-useable for up to 6 weeks after initial activation
- BRANZ Appraised
- 600ml yields approx 20L cured foam



Gorilla Flexi Expanding Foam Click & Fix



DESCRIPTION

Gorilla Flexi Expanding Foam Click & Fix is a single-component self-expanding ready-to-use polyurethane foam. Fitted with a patented Click & Fix adaptor for use only with the Gorilla Foam Gun Click & Fix (20106).

| Colour | Size | Code |
|--------|-------|-------|
| Blue | 750ml | 20041 |

FEATURES & BENEFITS

- BRANZ Appraised
- High thermal and acoustic insulation
- High elasticity recovery accommodates movement
- · Minimal post expansion

- Excellent adhesion to most substrates
- · Can be compressed
- · Stable with good gap filling abilities



Gorilla Fire Rated Expanding Foam



DESCRIPTION

Gorilla Fire Rated Click & Fix is a single-component, self-expanding ready-to-use polyurethane foam with a fire rating of up to 240 minutes (Ghent test report 9279). It contains propellants that are completely harmless to the ozone layer. Fitted with a patented Click & Fix adaptor for use only with the Gorilla Foam Gun Click & Fix (20106). Also available in a ready-to-use gunless aerosol.

| Colour | Size | Code |
|--------------|----------------------|-------|
| Light Red | Click & Fix 750ml | 20160 |
| Light Red | Aerosol 750ml | 20169 |

FEATURES & BENEFITS

- Fire retardant up to 240 minutes
- Efficient seal against smoke and gas
- Excellent adhesion on most substrates (except Teflon, PE and PP)
- High thermal and acoustic insulation
- High bond strength
- Excellent stability: no shrink or post expansion
- Can be painted after full cure

Gorilla Foam Gun Click & Fix



DESCRIPTION

Professional quality gun for expanding foam canisters, designed and manufactured in Europe to the highest quality standards. Clean gun after every can of foam (using 20107).

| Colour | Size | Code |
|-------------|---------------------------|-------|
| Grey/Silver | Fits Click & Fix 750ml | 20106 |
| Clear | 3pk spare nozzles | 21424 |

- · Designed for use with the Gorilla Click & Fix Expanding Foam range
- Allows for high accuracy and foam flow control

01 EXPANDING FOAMS

Gorilla Expanding Foam Cleaner Click & Fix

SOUDAL GENERAL CONTROL OF THE PROPERTY OF THE

DESCRIPTION

Gorilla Expanding Foam Cleaner Click & Fix is a ready-to-use cleaning aerosol can for use on all products in the Gorilla Foam Click & Fix range. Fitted with a patented Click & Fix adaptor for use only with Gorilla Foam Gun Click & Fix (20106).

| Size | Code |
|-------|-------|
| 500ml | 20107 |

FEATURES & BENEFITS

- · Cleans foam guns & nozzles
- Removes uncured foam
- Easy to use Click & Fix system
- · Use after every can of foam

Gorilla MS Expanding Foam



DESCRIPTION

Gorilla MS Expanding Foam is the first "isocyanate free" expanding foam in the world! It is great for filling cavities, mounting and sealing of windows and doorframes, creation of soundproof screens, etc. Utilizes a moisture-curing system and performs best on moderately wet, porous surfaces (wood, concrete, stone).

| Colour | Size | Code |
|-----------|-------|-------|
| Champagne | 500ml | 20255 |

FEATURES & BENEFITS

- Good adhesion on most substrates
- High thermal and acoustical insulation
- Excellent stability (no shrink or post expansion)
- · Very good filling capacities
- Excellent flow control
- Reusable for up to 6 weeks

Gorilla Expanding Foam Remover



DESCRIPTION

Gorilla Expanding Foam Remover is a ready-to-use gel that easily removes cured expanding foam from surfaces such as plastics, metals and PVC.

| Size | Code |
|-------|-------|
| 100ml | 19921 |

- · Removes cured expanding foam
- Fast working
- Re-usable
- · Easy to use
- · Pack includes application brush and spatula

Gorilla Pro Foam Starter Pack



DESCRIPTION

The ultimate Gorilla Foam Starter Pack that covers all the foam bases from start to finish.

| Size | Code | |
|--------------|-------|--|
| Starter Pack | 20089 | |

FEATURES: includes one of each of the following core products:

- 1 x 20088 Gorilla Pro Expanding Foam Click & Fix 750ml
- 1 x 20106 Gorilla Foam Gun Click & Fix
- 1 x 20107 Gorilla Expanding Foam Cleaner Click & Fix 500ml
- 1 x 46000 Mr Gorilla Paint and Glue Wipes 50 pack

Gorilla Fire Rated Foam Starter Pack



DESCRIPTION

The Gorilla Fire Rated Foam Starter Pack combines all the key fire rated products you need in one easy-to-carry case.

| Size | Code | |
|--------------|-------|--|
| Starter Pack | 20275 | |

FEATURES: includes one of each of the following core products:

- 1 x 20160 Gorilla Fire Rated Expanding Foam Click & Fix 750ml
- 1 x 20107 Gorilla Expanding Foam Cleaner Click & Fix 500ml
- 1 x 20106 Gorilla Click & Fix Foam Gun

02 CONSTRUCTION ADHESIVES

Gorilla Grip 10 Minute Cure Construction Adhesive



DESCRIPTION

Gorilla Grip 10 Minute is a single-component ready-to-use translucent polyurethane-based construction adhesive. With a 10-minute curing time it is perfect for small, quick jobs.

| Colour | Size | Code |
|-------------|-------|-------|
| Translucent | 310ml | 19288 |

FEATURES & BENEFITS

- Instant direct stick
- · Can be applied with a caulking gun
- Professional quality –
 100% solids, no shrinkage
- Fast Curing
- Paintable

- Expands while curing to fill uneven surfaces within the band line
- · Non-staining on porous substrates
- · Water resistant
- Solvent free

Gorilla Grip 1 Hour Cure Construction Adhesive



DESCRIPTION

Gorilla Grip 1 Hour is New Zealand's most trusted single-component ready-to-use translucent polyurethane-based construction adhesive. With a 1-hour curing time it is ideal for wooden flooring systems.

| Colour | Size | Code |
|-------------|-------|-------|
| Translucent | 310ml | 20075 |

FEATURES & BENEFITS

- BRANZ Appraised
- Suitable for most substrates
- 100% solids, no shrinkage
- Will stick to damp surfaces
- Professional quality
- Fast strength build-up

- · Paintable once cured
- Expands during curing to fill uneven surfaces within the band line
- Waterproof D4
- Solvent free



Gorilla Grip 2 Hour Cure Construction Adhesive



DESCRIPTION

Gorilla Grip 2 Hour is a single-component ready-to-use translucent construction adhesive with a polyurethane base. The tradies' favourite for more than twenty years, with a 2-hour curing time it gives increased working time, allowing you to adjust as you go.

- · BRANZ Appraised
- Suitable for most substrates
- 100% solids, no shrinkage
- · Will stick to damp surfaces
- Professional quality
- Extended working time

| Colour | Size | Code |
|-------------|--------------|---------|
| Translucent | 80ml hangsel | l 01307 |
| Translucent | 80ml | 19291 |
| Translucent | 310ml | 19290 |
| Translucent | 600ml | 19387 |
| | | |

- · Fast curing
- Paintable
- Expands during curing to fill uneven surfaces within the band line
- · Solvent free



Gorilla Wallboard Adhesive



DESCRIPTION

Gorilla Wallboard Adhesive is a solventfree construction adhesive with high bond strength and an extremely high initial grab (over 140kg/m2).

| Colour | Size | Code |
|--------|-------|-------|
| White | 380ml | 20013 |
| White | 600ml | 19317 |

FEATURES & BENEFITS

- · High initial grab
- · Ideal for overhead usage with no drip
- Solvent free
- No shrinkage
- · Steel frame compatible

Soudal Soudaseal 240FC MS Adhesive



DESCRIPTION

Soudal Soudaseal 240FC is a high-quality single-component product with high adhesive strength and initial tack. It is based on MS Polymer technology and is excellent for strong elastic bonding in areas subject to vibration.

| Colour | Size | Code | |
|--------|-------|-------|---|
| White | 600ml | 20098 | _ |
| Grey | 600ml | 20101 | |
| Black | 600ml | 20105 | _ |

FEATURES & BENEFITS

- Very easy to tool and finish
- Good extrudability even at low temperatures
- · Outstanding bond strength on nearly all surfaces
- High-performance mechanical properties
- No odour and VOC-friendly

Gorilla Boltfix Anchoring Adhesive



DESCRIPTION

Gorilla Boltfix Anchoring Adhesive is a rapid curing two part chemical anchoring system based on epoxy acrylate.

| Colour | Size | Code |
|--------|-------------------|-------|
| Grey | 600ml | 21423 |
| - | 3pk spare nozzles | 21424 |

- Styrene-free and suitable for exterior applications
- Fast curing
- Pressure-free and ideal for securing threaded rods, reinforcement bars, profiles, etc.
- Use on solid and hollow materials
- Wide application area, even in wet drill holes, under water and at low temperatures

03 MS SEALANTS & ADHESIVES

Gorilla MS Sealant



DESCRIPTION

Gorilla MS Sealant is an all-purpose single-component joint sealant based on the latest MS polymer technology. Designed for all types of construction joints.

| EE | ATII | DEC | 2. D | ENE | FITS |
|----|------|-----|------|-----|------|

- Low slump
- The whitest of whites
- 900% elongation of break
- High performance MS
- BRANZ Appraised
- Works on damp surfaces
- Paintable 1 hour after application
- UV resistant
- · AsureQuality tested
- · Easily repairable

| Colour | Size | Code |
|---------|-------|-------|
| White | 420gm | 20600 |
| Grey | 420gm | 20601 |
| Black | 415gm | 20602 |
| Black | 600ml | 20603 |
| Grey | 600ml | 20604 |
| White | 600ml | 20605 |
| Titania | 600ml | 20607 |

Gorilla FixALL Crystal



DESCRIPTION

Gorilla FixAll Crystal Sealant and Adhesive is an optically clear, neutral, elastic, single-component sealant/adhesive based on MS-Polymers, outstanding for those areas where you need the clearest of finishes.

| | Clear | 300g | 19331 |
|--|-------|------|-------|
|--|-------|------|-------|

Size

Code

FEATURES & BENEFITS

- · Completely transparent
- · Anti-fungal formulation
- Permanently elastic
- · Solvent and isocyanate free
- · Strong bond on nearly all surfaces
- Interior and exterior

Colour

· Super easy to tool and finish

Gorilla FixALL High Tack



DESCRIPTION

Gorilla FixALL High Tack Sealant is a singlecomponent joint sealant based on MS-Polymer technology. It delivers 140kgs of initial tack while still being able to be manipulated.

| Colour | Size | Code |
|--------|-------|-------|
| Black | 465gr | 20301 |
| Grey | 465gr | 20302 |
| White | 465gr | 20303 |

- High-performance MS sealant
- High flexibility
- Solvent free
- Odourless

- Will stick to damp surfaces
- Paintable 1 hour after application under normal conditions
- · UV and weather resistant

Gorilla FixALL Turbo



DESCRIPTION

The ultimate MS Polymer adhesive when speed matters. Its ultra-fast action, combined with great bonding strength, makes it ideal for all tasks where speed and time are important, such as signage and tiling.

| Colour | Size | Code |
|--------|-------|-------|
| White | 290ml | 20311 |

FEATURES & BENEFITS

- · Hand-tight in 20 mins
- Full strength in 3 hours
- · Offers 20% flexibility
- 100% solvent free
- Paintable
- Delivers great UV and weather resistance

Soudal Soudaseal 270HS



DESCRIPTION

Soudal Soudaseal 270HS is a high-quality single-component sealant and adhesive. It is based on MS-Polymer technology and is chemically neutral, fully elastic and offers very good mechanical properties.

FEATURES & BENEFITS

- Does not contain isocyanates
- Combines high-end strength with certain rigidity
- High initial tack and fast build-up of end strength
- · Colour stability and UV resistance

| Colour | Size | Code |
|--------|-------|-------|
| White | 290ml | 20084 |
| Grey | 290ml | 20093 |
| White | 600ml | 20085 |
| Black | 600ml | 20131 |

- No bubble formation within sealant (in high temperature and humidity applications)
- Can be painted with water-based systems and industrial varnishes
- · Very easy to tool and finish

Gorilla Sealant Remover Spray



DESCRIPTION

Gorilla Sealant Remover Spray is a ready-to-use and fast-working spray, based on terpenes, for removing hardened silicones and MS polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

- · Removes silicone and MS polymers
- Compatible with most substrates
- Ready-to-use
- · Quick acting

| Size | Code |
|-------|-------|
| 400ml | 75133 |

04 SILICONES

Gorilla Bathroom & Kitchen Silicone



DESCRIPTION

Gorilla Bathroom & Kitchen Silicone Sealant is a high-quality neutral-cure elastic single-component silicone-based joint sealant ideal for joints in sanitary rooms (on synthetic baths and tubs) and kitchens, top sealing in glazing, and sealing in refrigerators.

| Colour | Size | Code |
|---------|-------|-------|
| Clear | 300ml | 19310 |
| Titania | 300ml | 19940 |
| White | 300ml | 19944 |
| Titania | 600ml | 19950 |

FEATURES & BENEFITS

- · Sanitary formula
- Excellent moisture and mould resistance
- · Very easy to apply
- · Colourfast and UV resistant
- Permanent elasticity after curing
- Low modulus
- Corrosion free

Gorilla Plumbers Silicone



DESCRIPTION

Gorilla Plumbers Silicone is a fast-curing neutral-cure fully elastic single-component joint sealant suitable for top sealing of glazing jobs, sealing between treated wood and metal profiles and sealing between PVC and glass.

| Colour | Size | Code |
|--------|-------|-------|
| Clear | 300ml | 19305 |
| White | 300ml | 19306 |
| Black | 300ml | 19307 |
| Grey | 300ml | 19308 |
| Clear | 600ml | 20188 |

FEATURES & BENEFITS

- Very easy application
- · Permanent colour, good UV-resistance
- · Fast skin formation
- · Stays elastic after curing
- Very good adhesion on many materials
- Low modulus
- Waterproof
- · Neutral cure, safe for fish tanks

Gorilla Roof & Gutter Silicone



DESCRIPTION

Gorilla Roof & Gutter Silicone is a fast-curing neutral-cure fully elastic joint sealant, ideal for sealing horizontal and vertical joints in wall and roof connections, repair and renovation of roof and gutter systems, and connection and expansion joints on roof works.

| Colour | Size | Code |
|--------|-------|-------|
| Clear | 300ml | 19700 |
| Grey | 300ml | 19703 |

- · Very easy application
- · Permanent colour, good UV-resistance
- · Fast skin formation
- Stays elastic after curing
- Very good adhesion on many materials
- Impervious to mould
- · Corrosion free

Gorilla Electrical Silicone



DESCRIPTION

Gorilla Electrical Silicone Sealant is a fast-curing neutral-cure fully elastic single-component joint sealant ideally suited for lead wire entries, conduit terminal boxes, component mounting, conduit ends, cover plates and conductor entry boxes.

| Colour | Size | Code | |
|--------|-------|-------|--|
| Clear | 310ml | 19323 | |

FEATURES & BENEFITS

- UV resistant
- · Non-corrosive
- · Waterproof

- · Excellent levels of ingress protection
- Fast and neutral cure

Gorilla Glass & Ceramic Silicone



DESCRIPTION

Gorilla Glass & Ceramic Silicone Sealant is a high-quality elastic single-component acetic-cure joint sealant, ideal for glazing and connection joints, and general building and construction joints.

| Colour | Size | Code |
|--------|-------|-------|
| Black | 300ml | 19279 |
| White | 300ml | 19299 |
| Clear | 300ml | 19304 |

FEATURES & BENEFITS

- · Very easy application
- UV-resistant
- · Stays elastic after curing
- Very good adhesion on many materials
- Fast skinning
- · Interior and exterior

Gorilla 970 Sanitary Silicone



DESCRIPTION

Gorilla 970 Sanitary Silicone Sealant is a high-quality neutral-cure elastic single-component silicone-based joint sealant ideal for joints in sanitary rooms (on synthetic baths and tubs) and kitchens, top sealing in glazing, and sealing in refrigerators and air-conditioning systems.

| Colour | Size | Code |
|--------|-------|-------|
| Clear | 300ml | 23201 |
| White | 300ml | 23202 |

- · Long open time
- · Excellent moisture and mould resistance
- · Very easy to apply
- Colourfast and UV resistant
- · Permanent elasticity after curing
- Corrosion free
- Adheres to substrates that are not subject to immersion, water pressure or high stress

04 SILICONES

Gorilla 980 Plumbers Silicone



DESCRIPTION

Gorilla 980 Plumbers Silicone is a neutral-cure fully elastic single-component joint sealant suitable for top sealing of glazing jobs, sealing between treated wood and metal profiles and sealing between PVC and glass.

| Colour | Size | Code |
|-------------|-------|-------|
| Translucent | 300ml | 23200 |

FEATURES & BENEFITS

- Non-acidic
- Permanently flexible
- UV-resistant

- Seals sheet metal, aluminium roofing, flashing and guttering
- · Easy application

Gorilla High Temp Silicone



DESCRIPTION

Gorilla High Temp is an elastic, single-component engineering sealant based on silicone that withstands very high temperatures. It is ideal for sealing between metal components, sealing of heating installations, and pumps and engines.

| Colour | Size | Code |
|--------|-------|-------|
| Black | 310ml | 20140 |

FEATURES & BENEFITS

- Excellent resistance to fuels, oils and grease
- High temperature resistance up to 280°C
- Very easy to apply
- Permanent elastic after curing

Good resistance to water, aliphatic solvents, mineral oils, grease, diluted inorganic acids and alkalis

Gorilla Silicone Remover



DESCRIPTION

Gorilla Silicone Remover is a ready-made gel for the easy removal of cured silicones and MS Polymers.

| Colour | Size | Code |
|--------|-------|-------|
| Clear | 100ml | 19920 |

FEATURES & BENEFITS

- Ready to use, no mixing required
- Liquid, easy application
- · Non-sagging

 Suitable for silicone and MS Polymer sealants

Soudal Silirub Cleanroom Silicone



DESCRIPTION

Soudal Silirub Cleanroom Silicone is a high-quality neutralcure elastic single-component silicone-based joint sealant suitable for joints in sanitary rooms and kitchens, top sealing in glazing, sealing in refrigerators and container construction and sealing of insulated cool store panels.

| Colour | Size | Code |
|---------|-------|-------|
| Titania | 600ml | 19955 |

FEATURES & BENEFITS

- · Long open time
- · Excellent moisture and mould resistance
- · Very easy to apply
- Colourfast and UV resistant
- Permanent elasticity after curing
- Corrosion free
- Adheres to substrates that are not subject to immersion, water pressure or high stress

Gorilla RTV Acetic Silicone



DESCRIPTION

Gorilla RTV Acetic Silicone is a one part sealant that offers excellent adhesion, weather resistant and elasticity for general glazing; glass, plastic, channel or stop.

| Colour | Size | Code |
|--------|------|-------|
| White | 30ml | 01308 |

- · Acetic acid curing system
- Outstanding durability
- Single-component no mixing required
- Permanently flexible
- Weather-proof

- Low shrinkage
- No sagging
- UV resistance
- Primerless adhesion to most materials

GAP FILLERS

Gorilla Pro Gaps Multipurpose



DESCRIPTION

Gorilla Pro Gaps Multipurpose is a one-component sealant, with good adhesion without a primer on building materials like concrete, brickwork, painted wood, anodized aluminium and PVC. Apply to joints between stairs and walls, between concrete and ceiling elements, between wall and ceiling, skirting boards, windowsills and aerated concrete.

| Colour | Size | Code |
|--------|------------|-------|
| White | 300ml | 01403 |
| White | 300ml(3pk) | 01400 |

FEATURES & BENEFITS

- Almost odour free
- Forms an elastic water-resistant skin after full cure
- · Does not stain

- Excellent adhesion to porous substrates
- Paintable after 20 minutes (given the diversity of available paints it is recommended to do a compatibility test prior to application)

Gorilla Pro Gaps Quick Dry



DESCRIPTION

Gorilla Pro Gaps Quick Dry is a one-component, quickly paintable, plasto-elastic sealant based on acrylic dispersion. Due to its unique composition, it minimizes the risk of crazing and cracking, even with highly filled and covering paints. Great for finishing seams and gaps or repairing cracks and drilling holes in porous surfaces that need to be painted, such as plasterboard, concrete and stone.

| Colour | Size | Code |
|--------|-------|-------|
| White | 310ml | 19277 |

FEATURES & BENEFITS

- · Almost odour free
- · Very easy to apply and finish
- · Colourfast and waterproof after curing
- Paintable after 10 minutes
- Paintable with many paint types

Gorilla Pro Gaps All In One



DESCRIPTION

Gorilla Pro Gaps All in One is a high-quality single component product with high adhesive strength and initial tack. It is based on MS Polymer technology. Perfect for sealing and bonding in the building and construction industry, e.g. floor joints. Can be used in sanitary applications as it is mould resistant.

| Colour | Size | Code |
|--------|-------|-------|
| White | 290ml | 19276 |

- Fast curing, quick build-up of end strength, high sheer strength after full cure
- · Remains elastic after curing
- No odour
- · Paintable with all water-based paints
- Does not contain isocyanates, silicones or solvents
- Good colour stability and weather resistance
- Good adhesion on nearly all surfaces, even moist surfaces

Gorilla Pro Gaps Exterior



DESCRIPTION

Gorilla Pro Gaps Exterior Filler is a one-component highly qualified, plasto-elastic sealant based on acrylic dispersions. Great for connection joints with maximum movement of 15%. Examples of use include joints on window sills, filling gaps between plinths and walls, and between masonry.

| Colour | Size | Code |
|--------|-------|-------|
| White | 310ml | 19278 |

FEATURES & BENEFITS

- Almost odour free
- Excellent adhesion to porous substrates and aluminium
- Does not stain
- · Paintable after curing

Gorilla Bog



DESCRIPTION

Gorilla Bog is a two-component polyester putty based on unsaturated polyester resins. Great for filling scratches, tears, and dents in metal plates; even zinc and galvanised surfaces. Ideal for dealing with car dents.

| Colour | Size | Code |
|--------|----------|-------|
| Grey | 500g | 01412 |
| Grey | 1000g | 01414 |
| Grey | 2kg (x2) | 01431 |

FEATURES & BENEFITS

- · Very easy to apply
- Fast curing
- · Lasting adhesion

- Can be treated quickly after application (e.g. grinding, sanding)
- Automotive uses

Gorilla Patching Compound





DESCRIPTION

Gorilla Pro Gaps Patching Compound is a multipurpose ready mixed compound for filling gaps and cracks. It can be used as an interior or exterior finish. No cracking up to 4mm and minimal shrinkage. Low odour formulation makes it suitable for interior use.

| Colour | Size | Code |
|--------|------|-------|
| White | 300g | 12113 |
| White | 2.5L | 12200 |

- Multi-use lightweight patching compound
- Ready mixed for gaps and cracks
- · Ideal for plasterboard
- Easy to sand
- Interior/Exterior

GAP FILLERS

Gorilla Plumbers Putty



DESCRIPTION

Gorilla Plumbers' Putty is a ready-to-use paste, which can be kneaded into the required form for many plumbing applications and sealing of metals. Used to install sanitary equipment (toilets and sinks) on floors and taps into sinks.

| Colour | Size | Code |
|--------|------|-------|
| White | 150g | 01296 |
| White | 250g | 01292 |

FEATURES & BENEFITS

- · Excellent adhesion
- · Remains elastic

- · High bond strength
- · Withstands water, acids and alkalis

Gorilla Linseed Window Putty



DESCRIPTION

Gorilla Linseed Window Putty is a high quality filler and sealant based on linseed oil and modified with synthetic resins. Use when installing glass sheets in greenhouses and verandas or when repairing glazing that has been sealed with window putty.

| Colour | Size | Code |
|---------------|------|-------|
| Natural Beige | 1kg | 01471 |

- Ideal for window frames
- Paintable

- Suitable for timber, concrete and metals
- · Easy to knead

FIRE RATED SEALANTS

Gorilla Firecryl Acrylic Sealant



DESCRIPTION

Gorilla Firecryl Acrylic Sealant is a fire-resistant, smoke-tight (heat load intumescent) plasto-elastic sealant based on acrylic dispersion.

| Colour | Size | Code |
|--------|-------|-------|
| White | 310ml | 20060 |
| Grey | 600ml | 21427 |

FEATURES & BENEFITS

- · High dB attenuation
- Prevents the passage of fire and smoke
- Intumesces when exposed to temperatures higher than 120°C
- Can be painted after curing
- · Very easy to apply
- · Colourfast and waterproof after curing
- · Very good adhesion on porous surfaces

Gorilla Firesil Silicone Sealant



DESCRIPTION

Gorilla Firesil Silicone is a high-quality neutral-cure elastic single-component sealant based on silicones that conforms to the DIN4102 B1 standard for fire retardancy and has a fire rating of up to 4 hours in certain joint configurations (EN 1366 part 4 – NN713.020 – BS 476/20). Ideal for linear building and glazing joints that require a fire rating and fire rated expansion joints.

| Colour | Size | Code |
|--------|-------|-------|
| Grey | 310ml | 20165 |

FEATURES & BENEFITS

- · Very easy to apply
- Colourfast and UV resistant
- Remains permanently elastic after full cure
- Very good adhesion on most surfaces
- · Low modulus

Gorilla Fire Cement Silicone Sealant



DESCRIPTION

Gorilla Fire Cement is a high-quality single-component ready-to-use heat-resistant sealant that cures to form a hard seal. It withstands temperature of up to 1,500°C and is ideal for joints and openings of furnaces, heating systems and BBQs.

- <120 minute fire rating (refer to testing)
- Heat resistance <1,500°C
- BBQs and pizza ovens
- Rigid when cured

| Colour | Size | Code |
|--------|-------|-------|
| Black | 310ml | 20190 |

06 FIRE RATED SEALANTS

Soudal Soudaseal Firestop MS Adhesive Sealant



DESCRIPTION

Soudal Soudaseal Firestop MS is a highquality fire-resistant smoke-tight neutral-cure elastic single-component joint and adhesive sealant.

| Colour | Size | Code |
|--------|-------|-------|
| Grey | 600ml | 56219 |

- Ideal for fire-retardant expansion and connection joints, fire-resistant sealing of connection joints and the sealing of fireretardant joints in prefabricated buildings
- No bubble formation within sealant (in high temperature and humidity applications)
- Primerless adhesion on many substrates (except where water pressure may occur)
- · Good colour stability and UV resistance
- · Paintable, with water-based paints
- Excellent weather resistance in all climates
- Low VOC

AUTOMOTIVE

Gorilla High Temp Silicone



DESCRIPTION

Gorilla High Temp is an elastic, singlecomponent engineering sealant based on silicone, which withstands very high temperatures. It is ideal for sealing between metal components, sealing of heating installations, and pumps and engines.

| Colour | Size | Code | |
|--------|-------|-------|--|
| Black | 310ml | 19288 | |

FEATURES & BENEFITS

- Excellent resistance to fuels, oils and grease
- High temperature resistance up to 280°C
- Very easy to apply
- · Permanently elastic after curing
- Good resistance to water, aliphatic solvents, mineral oils, grease, diluted inorganic acids and alkalis

Gorilla 940FC Automotive Sealant



DESCRIPTION

Gorilla 940FC Automotive PU Sealant is a high quality, elastic, one-component adhesive for structural bonding of body elements based on polyurethane. Ideal for structural bonding in vibrating and automotive constructions, sealing and bonding applications in the building industry, and sealing of shrinking joints in concrete floors.

FEATURES & BENEFITS

- Very easy to apply
- Permanently elastic after curing
- Excellent adhesion
- · High resistance to many chemicals
- Agri Quality approved for flooring joints

| Colour | Size | Code |
|--------|-------|-------|
| Black | 310ml | 20054 |
| White | 310ml | 20055 |
| Grey | 310ml | 20082 |
| Black | 600ml | 20064 |
| White | 600ml | 20066 |
| Grey | 600ml | 20069 |
| | | |

Carbond 955DG Windscreen Sealant



DESCRIPTION

Carbond 955 DG Windscreen Sealant is a ready-to-use, elastic, single-component adhesive/sealant based on polyurethane for installing windscreens in vehicles.

| Colour | Size | Code |
|-------------|-------|-------|
| Translucent | 310ml | 20063 |

- · Good sag resistance
- High end strength
- Good colour stability, and weather & UV resistance
- Use with Carbond 955 DG Windscreen Primer

07 AUTOMOTIVE

Carbond 995DG Windscreen Primer



DESCRIPTION

Carbond 955DG Windscreen Primer is only to be used with Carbond 955DG Windscreen Sealant. It is an adhesion promoter with Carbond 955DG Windscreen Sealant.

| Colour | Size | Code | |
|--------|------|-------|--|
| Clear | 30ml | 20091 | |

- Increases bond strength
- To be used before applying Carbond 955DG Windscreen Sealant

Gorilla MS Flooring Vapour Barrier Kit



DESCRIPTION

Gorilla MS Flooring Vapour Barrier Kit is a two-component water-based moisture sealant for use over old and new concrete to provide a vapour barrier prior to applying a flooring system.

| Colour | Size | Code | |
|--------|-----------|-------|--|
| Green | 4L (2x2L) | 18995 | |



FEATURES & BENEFITS

- Cures in 4 hours
- · Non-toxic and odourless
- Non-flammable
- · Easy to mix and apply
- · Only one coat required

Gorilla MS Flooring Adhesive



DESCRIPTION

Gorilla MS Flooring is a ready-to-use onecomponent, water- and solvent-free flooring adhesive, which cures by means of a chemical reaction within the adhesive. Once fully cured, an elastic non-shrinking layer is formed, which is resistant to moisture and heat.

| Colour | Size | Code |
|--------|--------------|-------|
| White | 600ml | 18994 |
| White | 6kg | 18999 |
| White | 18kg (3x6kg) | 18998 |
| | | |

FEATURES & BENEFITS

- Contains no isocyanates
- Superior European formulation
- Resistant to moisture and heat
- Forms and maintains stable peaks when applied with a notched trowel

Gorilla MS Flooring Trowel 4mm



DESCRIPTION

The Gorilla MS Flooring trowel is to be used in combination with Gorilla flooring products.

| Size | Code |
|------|-------|
| 4mm | 19001 |

- Exclusive trowel for MS Flooring Adhesive
- Delivers the specified bead of the product
- Accurate dispenser
- Made of steel

9 WATER PROOFING

Gorilla Waterstop 1000



DESCRIPTION

Gorilla WaterStop 1000 Stretchable Waterproof Repair is a ready-to-use fibre-reinforced, protective roof coating for use on wet or dry surfaces. It is a thick, viscous liquid that is applied using a brush, roller or pallet knife and forms a completely waterproof rubber barrier. Ideal for the repair and protection of roofs, and sealing of leaks, cracks and joints.

| Colour | Size | Code |
|--------|------|-------|
| Grey | 750g | 19388 |
| Grey | 10kg | 19393 |

FEATURES & BENEFITS

- · Fully elastic when cured
- Synthetic fibres enhance structural strength
- Solvent-based acrylic polymer
- For use in wet or dry conditions
- · Possible to apply in sub-zero temperatures
- UV resistant will not discolour
- · Will bridge large gaps
- Long life
- Withstands large temperature variations
- Will bond across 2mm gap (greater than this requires the use of mesh reinforcing tape)

Gorilla Waterstop Protect



DESCRIPTION

Gorilla Waterstop Protect is a ready-to-use, protective roof coating for use on dry surfaces, which enables the waterproofing of cracks and bubbles in inclined roofing, terraces, balconies and cupolas.

| Colour | Size | Code |
|--------|------|-------|
| White | 1L | 36686 |
| White | 4L | 36687 |
| White | 20L | 36691 |

FEATURES & BENEFITS

- Solvent free
- Fully elastic when cured
- · Waterproof and colourfast
- Resistant to UV and temperature variations

NB: Previously Holdfast EPM6

Gorilla BlackJack



DESCRIPTION

BlackJack is a water-based, high-performance ready-to-use, cold-applied high-build liquid waterproofing membrane based on polymer-modified bitumen emulsion. BlackJack forms a seamless, highly elastic and durable film that adheres well to most common substrates, e.g. concrete, cement blocks, retaining walls, wood, and wet areas such as kitchen, toilet floors and balconies. BlackJack is highly resistant to chlorides and sulphates commonly present in soil.

| Colour | Size | Code |
|--------|-------|-------|
| Black | 310ml | 19926 |
| Black | 1L | 36696 |
| Black | 4L | 36688 |
| Black | 20L | 36689 |
| | | |

- · Single component, ready to use
- Easy to use
- Non-flammable and non-toxic
- Applicable immediately after removal of the formwork
- Environment friendly

WOOD ADHESIVES & PVAS

Gorilla Glue Premium 1 Hour Cure



DESCRIPTION

Gorilla Glue Premium 1 Hour Cure is a singlecomponent, ready-to-use polyurethane-based adhesive with excellent water resistance, requiring only 30 minutes of clamping.

| Colour | Size | Code |
|--------|-------|-------|
| Brown | 500ml | 01494 |

FEATURES & BENEFITS

- · Glues almost anything
- Waterproof polyurethane formulation (D4 rating)
- Also suitable for timbers with a moisture content between 14%–26%
- · Interior/Exterior suitability
- Foaming penetration to expand into cavities
- Solvent free

Gorilla Glue Premium 3 Hour Cure



DESCRIPTION

Gorilla Glue Premium 3 Hour Cure is a single-component ready-to-use polyurethane-based adhesive with excellent water-repellent properties.

FEATURES & BENEFITS

- · Glues almost anything
- Waterproof polyurethane formulation (D4 rating)
- Professional quality
- Interior/Exterior suitability
- Foaming penetration to expand into cavities
- Solvent free

| Colour | Size | Code |
|--------|----------------|-------|
| Brown | 1L refill tin | 01495 |
| Brown | 60ml | 01496 |
| Brown | 100ml | 01497 |
| Brown | 250ml | 01498 |
| Brown | 500ml | 01499 |
| Brown | 60ml blistered | 06535 |
| Brown | 5L | 20065 |

Gorilla Aliphatic PVA



DESCRIPTION

Gorilla Aliphatic PVA is a top-quality woodworking adhesive formulated for general use and is suitable for a variety of timbers including Rimu, Beech and Pine as well as MDF and ply.

- · Ideal for face/edge joinery
- · Suitable for interior use
- Sandable
- Heat and water resistant (D3 rating)

| Colour | Size | Code |
|------------|-------|-------|
| Pale Cream | 250ml | 01372 |
| Pale Cream | 500ml | 01373 |
| Pale Cream | 1L | 01374 |
| Pale Cream | 2L | 01375 |
| Pale Cream | 4L | 01376 |
| Pale Cream | 20L | 01377 |

WOOD ADHESIVES & PVAS

Gorilla Bond It On Aliphatic



DESCRIPTION

Gorilla Bond It On Aliphatic PVA is a woodworking adhesive, suitable for interior/exterior woodworking assembly. Mechanical fasteners are recommended for heavy loads. Has a moderate open-time, but will set rapidly when clamped or pressed.

FEATURES & BENEFITS

- Specifically formulated for use with NZ native timber
- Ideal for face/edge joinery
- · Sandable and paintable
- Suitable for interior/exterior use
- Heat and water resistant (D3 rating)

| Colour | Size | Code |
|------------|-------|-------|
| Pale Cream | 100ml | 01344 |
| Pale Cream | 250ml | 01345 |
| Pale Cream | 500ml | 01346 |
| Pale Cream | 1L | 01361 |
| Pale Cream | 2L | 01347 |
| Pale Cream | 4L | 01348 |
| Pale Cream | 20L | 01349 |

Gorilla Crosslinking PVA



DESCRIPTION

Gorilla Crosslinking PVA is a pre-catalyzed, fast setting emulsion adhesive with an excellent shelf life. The product is ready for use and requires no mixing of catalysts.

FEATURES & BENEFITS

- Ideal for bonding MDF
- Dries clear, ideal for face/edge joinery
- Heat and water resistance (D3 rating)
- · Suitable for interior and exterior
- · Rapid and high strength

| Colour | Size | Code |
|---------------------|-------|-------|
| White (Dries Clear) | 250ml | 23000 |
| White (Dries Clear) | 500ml | 23001 |
| White (Dries Clear) | 1L | 23002 |
| White (Dries Clear) | 5L | 23003 |
| White (Dries Clear) | 20L | 23004 |
| | | |

Gorilla PVA General Purpose



DESCRIPTION

Gorilla PVA General Purpose is a water-based synthetic adhesive, ideal for paper applications, such as bag making, board laminating and tube winding.

| Colour | Size | Code |
|---------------------|---------------------|-------|
| White (Dries Clear) | 60ml | 01370 |
| White (Dries Clear) | 100ml with spreader | 01371 |

- · High initial tack and sets fast
- · Ideal carton and packaging adhesive
- Heat and water resistant (D3 rating)
- Complies with FDZ Reg article 21FR175.105 for indirect food contact
- Cleans up with water

SUPER GLUES & ULTRA-BONDERS

Gorilla Super Glue Easy Brush



DESCRIPTION

Gorilla Super Glue is a high-strength, fast-setting adhesive that can be used for most fastening jobs. It has been specially formulated to achieve the strongest possible bond between well-mated non-porous surfaces, such as rubber, metals, plastics, and glass, without the need for a catalyst, heat or clamps.

| Colour | Size | Code |
|--------|------|-------|
| Clear | 5g | 00180 |

FEATURES & BENEFITS

- · High strength
- Top fast-setting adhesive
- Single component
- · Solvent free

- · Non-spill bottle
- Accurate application
- Flexible brush

Gorilla Super Glue Power Liquid



DESCRIPTION

Gorilla Super Glue Power Liquid is a highstrength, fast-setting adhesive that can be used for most types of fastening jobs. It is a unique product delivering the fastest setting ability among cyanoacrylate adhesives.

| Colour | Size | Code |
|--------|----------------|-------|
| Clear | ☐ 10g hangsell | 00178 |
| Clear | 3g tube | 01300 |
| Clear | 3g tube 2pk | 01303 |

FEATURES & BENEFITS

- Specially designed for bonding and repairing of wooden furniture
- Fast bonding
- Contains application nozzle
- · Dries clear
- Can also used on ceramics, metals,

hardwood and most plastics

- Solvent free
- Does not require use of catalyst, heat or clamps

Gorilla Super Glue Power Gel



DESCRIPTION

Gorilla Super Glue Power Gel is a non-running gel glue for ease of application to walls and ceilings. It provides a longer setting time giving user enough time to put materials together and reposition after application.

| Colour | Size | Code |
|--------|---------|-------|
| Clear | 3g tube | 01378 |

- Ideal for bonding metals, rubber, plastics, leather, and wood
- Repositionable
- 2–20 second cure time
- · High viscosity

11 SUPER GLUES & ULTRA-BONDERS

Soudal Ultrabonder Mousetail Nozzles

DESCRIPTION

A super easy-to-attach nozzle that works with all your Soudal Ultrabonder adhesives.

| Colour | Size | Code |
|--------|------|-------|
| White | 5pk | 09191 |



FEATURES & BENEFITS

· Great for getting into hard-to-reach small places

Soudal Ultrabonder 601 & 606

SOUDAL GENERAL Ultra Bonder

DESCRIPTION

Soudal Ultrabonder 601 and 606 are low-viscosity, fastcuring single-component adhesives specifically designed for difficult substrates such as plastics and rubbers.

| Colour | Size | Code | |
|--------|---------|--------------|---|
| Clear | ☐ 10g 6 | 01 09100 |) |
| Clear | 20g 6 | 01 09101 | |
| Clear | ☐ 10g 6 | 01 09102 | ! |
| Clear | 500m | ıl 601 09192 | ! |
| Clear | 20g 6 | 06 09151 | |

FEATURES & BENEFITS

- 3–5 second cure time
- Solvent-free clear liquid
- High-performance instant adhesive
- Great for model making and industrial use

Soudal Ultrabonder 909



DESCRIPTION

Soudal Ultrabonder 909 is a black thermally resistant, single-component instant adhesive gel. It has been specially formulated to provide high impact adhesion peel and improved resistance to heat, humidity or damp conditions. Can be used for almost any type of fastening job.

| Colour | Size | Code |
|--------|------|-------|
| Clear | 20g | 09188 |

- Excellent for bonding non-porous surfaces, such as rubber, metals, plastics, glass, etc
- · High strength

- · Fast setting/fixing adhesive
- Solvent free
- Does not require the use of catalyst, heat or clamps

SPECIALTY ADHESIVES

Soudal 2C Super Fast Adhesive



DESCRIPTION

Soudal 2C Super Fast Adhesive is a 2-part professional adhesive with an aerosol activator. It is a multi-purpose adhesive that provides high bond strength and moisture resistance. Perfect for applications where final cure speed needs to be accelerated.

| Colour | Size | Code | |
|--------|-----------|-------|--|
| NA | 50g/200ml | 01305 | |

FEATURES & BENEFITS

- Great for mitre joints
- · Sets in seconds
- · High bond strength
- · Moisture resistant
- Use on: wood, MDF, plastic, metal, porcelain, leather, ceramics and more

Gorilla Green Fix



DESCRIPTION

Gorilla Green Fix is a high-strength all-weather adhesive based on MS Polymer technologies suitable for the bonding and repairing of small areas of artificial grass on many different substrates.

| Colour | Size | Code |
|--------|-------|-------|
| Green | 290ml | 20318 |

FEATURES & BENEFITS

- · Suitable for both interior and exterior use
- Green in colour
- · Transparent cartridge
- MS Polymer

| Gori | lla | Mi | rro | r Fix |
|------|-----|----|-----|-------|



DESCRIPTION

Gorilla Mirror Fix is a high-quality neutral-cure single-component mirror adhesive based on MS polymer technologies.

| Colour | Size | Code | |
|--------|-------|-------|--|
| White | 290ml | 20319 | |

- Compatible with both silver and vinyl backed mirror systems
- Fast curing
- No risk of staining on porous substrates
- · Remains elastic after curing
- · Solvent free

- · Paintable with all water-based paints
- Colourfast
- No odour
- Good adhesion, even on moist substrates/surfaces

12 SPECIALTY ADHESIVES

Gorilla Contact Adhesive



DESCRIPTION

Gorilla Contact Adhesive Spray is an all-purpose ready-to-use aerosol contact adhesive.

| Colour | Size | Code | |
|-------------|-------|-------|--|
| Translucent | 300ml | 75140 | |

FEATURES & BENEFITS

- Repositionable or permanent adhesive
- Suitable for plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber
- Non-wrinkling
- · Photo safe
- · Non-clog nozzle

Gorilla H2 Contact Adhesive



Gorilla H2 Contact Adhesive delivers a high-strength heat-resistant bond and is excellent for use on a range of porous and non-porous materials.



- Fast drying
- · Permanent bond
- Waterproof
- Suitable for plastic, laminates, carpet, vinyl, skirting, leather and resin rubber

| Colour | Size | Code |
|-------------|------------|---------------|
| Light Brown | 30ml | 01323 |
| Light Brown | 125ml | 01318 |
| Light Brown | 250ml + | - brush 01319 |
| Light Brown | 1L | 01321 |
| Light Brown | 4 L | 01322 |

PRIMERS & ACTIVATORS

Gorilla 696 Surface Activator



DESCRIPTION

Gorilla 696 Surface Activator is a cleaner, degreaser and primer. Surface Activator will activate non-porous surfaces such as plastics, coatings and metal for improved adhesion of sealants based on silicone, polyurethane and MS Polymer. Use to prepare some plastics, powder coatings and other non-porous surfaces before bonding and sealing.

| Colour | Size | Code |
|-------------|-------|-------|
| Translucent | 100ml | 19391 |
| Translucent | 500ml | 19389 |
| Translucent | 5L | 19392 |

FEATURES & BENEFITS

- · Liquid, easy to use
- To be used as a cleaner and primer on non-porous surfaces
- Suitable for silicone, polyurethane and hybrid sealants

Gorilla Primer 150



DESCRIPTION

Gorilla Primer 150 is a universal primer for porous surfaces to be used to prepare the area before applying silicone sealants and MS Polymer-based sealants. To be used on walls of expansion joints, and walls of porous materials with high water exposure.

| Colour | | Size | Code |
|--------|--|-------|-------|
| Clear | | 500ml | 20057 |

FEATURES & BENEFITS

- Liquid, easy application
- Suitable for silicones and MS Polymerbased sealants and adhesives

Gorilla Silicone Spray



DESCRIPTION

Gorilla Silicone Spray is a transparent spray with lubricating and anti-adhesive characteristics based on high-grade silicone oil. Ideally suited for light lubrication of plastics and rubbers such as sliding doors and rubber seals. Silicone spray also creates a water-repellent layer and protects the electrical wiring of cars, engines and lawn mowers from moisture. Not to be used for brake drums and brake discs. Treated surfaces cannot be painted.

| Colour | Size | Code |
|--------|-------|-------|
| Clear | 400ml | 21611 |

- · Lubricates and water-repellent
- Lowers friction and reduces wear of mechanical parts
- · Rust and corrosion resistant
- · Can be used on electrical insulating
- For indoor and outdoor use
- Aerosol can be used at any angle (360°)
- · Gives plastics and rubber a glossy finish

13 PRIMERS & ACTIVATORS

Gorilla 8 in 1 Spray



DESCRIPTION

Gorilla 8 in 1 Multi Spray is a high-quality universal spray with 8-fold action: rust dissolver, lubricant, cleaner, water repellant, penetrating action, corrosion resistant, contact spray, and shock spray. It has a penetrating oil and a protective film remains after cleaning. To be used for machines, roller bearings, axles, cogwheels, conveyor belts, and rubber gasket profiles.

| Colour | Size | Code |
|--------|-------|-------|
| Clear | 400ml | 75134 |

FEATURES & BENEFITS

- Lubricates
- · Protects
- · Rust and corrosion resistant
- Reduces humidity
- · Removes dirt and grease
- · Cooling and shrinking effect (shock spray)
- Water repellent
- · Does not contain silicones
- · For indoor and outdoor use
- Aerosol can be used at any angle (360°)
- · Does not attack rubber, plastics or metals

Gorilla Zinc Spray



DESCRIPTION

Gorilla Zinc Spray is a high-grade sprayable zinc compound. Zinc spray has a galvanizing effect. Protects zinc and unprocessed iron and steel against corrosion. To be used for coachwork, gutter braces and weld joints; also suitable for spot welding.

FEATURES & BENEFITS

- Good resistance against mechanical shocks, rubbing and erosion
- · Good electrical conductor
- · Contains 98% Zinc
- · Can be used on rust

| Colour | Size | Code |
|--------|-------|-------|
| Grey | 400ml | 75129 |

Soudal Underbody Protection



DESCRIPTION

Soudal Underbody Protective Coating is a ready-to-use waterproof coating which can be applied using an airless gun or an air-pressured gun. It is used to form a protective layer against rust and mechanical abrasion. Protects wheel arches and car underbodies against corrosion.

| Colour | Size | Code |
|--------|------------------|-------|
| Black | 500ml aerosol | 20164 |
| Black | 1kg gun grade | 20155 |

- Creates a tough elastic layer with excellent protection against rust, oils, salt and abrasion
- Sound deadening

- Can be painted
- Resistant to water and solvents

Soudal Antigravel



DESCRIPTION

Soudal Anti-Gravel protective coating is a ready-to-use waterproof coating that can be applied by either air pressured or airless coating equipment. It forms a protective coating against stone chips, rust, water and

| Colour | Size | Code |
|--------|---------------|-------|
| Black | 500ml aerosol | 20167 |
| Black | 1kg gun grade | 20163 |

FEATURES & BENEFITS

- Creates a tough elastic layer
- Does not contain bitumen or asphalt
- Sound deadening
- Water repellent
- Withstands temperature extremes
- Can be painted with all types of car varnishes when dried
- Resistant to water and solvents

Soudal Incoat ML Wax



DESCRIPTION

Soudal Incoat ML Wax is a ready-to-use anti corrosion coating that can be applied by either air-pressured or airless coating equipment. It forms a protective layer inside cavity areas in cars such as wheel arches and car box sections. Provides general rust protection for machines, machine parts and tools.

FEATURES & BENEFITS

- Contains pure wax
- Forms a permanent, slightly tacky wax coat after drying
- Cleans, producing a corrosion resistant barrier

| Colour | Size | Code |
|-------------|---------------|-------|
| Translucent | 1kg gun grade | 20172 |

- Deep penetration action
 - Forms a water repellent coating that protects against rust
 - Does not drip
 - High temperature resistance

Soudal Primer 100



DESCRIPTION

Soudal Primer 100 is a universal primer for porous surfaces to be used with polyurethane based sealants. For priming of porous surfaces (timber, concrete and plaster) prior to application of polyurethane based sealants.

- Liquid, easy application
- Suitable for all professional sealants based on polyurethane

| Colour | Size | Code | |
|-------------|-------|-------|--|
| Translucent | 500ml | 20202 | |

14 TIMBER PROTECTORS

Metalex Wood Protector



DESCRIPTION

Metalex Wood Protector is a product designed to protect timber from both environmental and insect attacks.

| Colour | Size | Code |
|--------|------|-------|
| Clear | 20L | 43998 |
| Clear | 4L | 43999 |

FEATURES & BENEFITS

- · Durable transparent timber preservative
- Waterproofs
- · Prevents aging and weathering
- · Protects from UV rays, insects and mould

Metalex Timber Preservative Aerosol



DESCRIPTION

Metalex Timber Preservative Aerosol is a specially developed wood preservative that helps builders and fencers/farmers to retain the treatment envelope of treated timber after it has been drilled or cut. Ideal for fencing, decking, flooring, garden furniture, pergolas, window trims, gates and many other timber applications.

| Colour | Size | Code |
|--------|-------|-------|
| Clear | 400ml | 44000 |
| Green | 400ml | 44007 |

FEATURES & BENEFITS

- Convenient easy-to-use pre-mixed treatment solution
- Ideal for preserving your timber on the go
- Prevents against attacks from insects and rot
- Suitable for soft and hardwoods, rough sawn, dressed, moulded timber, engineered woods and plywood

Metalex Concentrated Timber Preservative



DESCRIPTION

Metalex Concentrated Timber Preservative is a preparation for the envelope and remedial treatment of fibrous products including timber.



- Protects against insect attacks and fungus
- · Water-resistant finish
- · Easy to apply
- · Available in clear or green
- Reduces moisture uptake
- · Limits weathering, swelling and grain raising

| Colour | Size | Code |
|--------|-------|-------|
| Green | 500ml | 44001 |
| Green | 1L | 44002 |
| Green | 4L | 44003 |
| Green | 20L | 44009 |
| Clear | 500ml | 44004 |
| Clear | 1L | 44005 |
| Clear | 4L | 44006 |
| Clear | 20L | 44010 |

Metalex Ready To Use



DESCRIPTION

Metalex Ready To Use protects timbers and timber products from insect attack, fungal decay, warping, cracking, weathering, cupping, swelling and grain rising. It is ideal for the end sealing and protection of timber reveals used in the window joinery industry as a simple ready-to-use method to achieve compliance with the NZ Building Code.

| Colour | Size | Code |
|--------|------|-------|
| Clear | 1L | 44213 |
| Clear | 4L | 44214 |
| Green | 1L | 44220 |
| Green | 4L | 44221 |



- Features dual-action active ingredients in a safer solvent carrier
- Comes ready to use no on-site mixing required
- Contains Zinc Naphthenate anti-fungal compound
- Non-acidic will not corrode typical metal fittings or powder-coated finishes
- Contains special waxes to help reduce the effects of weathering

15 MANHOLE SEALANT & CONCRETE

Soudal Manhole Sealant

DESCRIPTION

Soudal Manhole Sealant is a butyl rubber sealing tape ideal for sealing and glazing applications in drainage systems. Because of its form and ease of handling, it is a highly economical installation solution.

| Colour | Size | Code |
|--------|-------------|-------|
| Grey | 16mm x 3.8m | 20079 |
| Grey | 20mm x 3.8m | 20197 |



FEATURES & BENEFITS

- · Ideal for drainage systems
- Flexible
- Will not harden
- Has good weather and aging resistance
- Will not stain

Gorilla Holdcrete Concrete Epoxy Repair



DESCRIPTION

Gorilla Holdcrete Concrete Epoxy Repair is an economical highly filled heavy-duty epoxy mortar.

| Colour | Size | Code |
|--------|-------|-------|
| Grey | 400ml | 01851 |
| Grey | 1L | 01852 |
| Grey | 4L | 01853 |
| Grey | BL 8L | 01854 |



FEATURES & BENEFITS

- Super-strong structural repair
- Sticks concrete to concrete
- Sticks to damp surfaces
- Patches and repairs concrete
- Heavy-duty epoxy mortar

Gorilla Powercrete 7min Cure Mortar Repair



DESCRIPTION

Gorilla Powercrete Repair Mortar is a very fast-setting repair mortar with high early and late strength. Gorilla Powercrete Repair Mortar is designed to repair precast and in-situ concrete where high repair strength is required.

- High strength
- Fast setting sets in 7 minutes
- Wide application
- Will cure underwater

| Colour | Size | Code | |
|--------|------|-------|--|
| Grey | 10kg | 01860 | |

Gorilla Trade Tough Wipes



DESCRIPTION

Gorilla Trade Tough Wipes are great for cleaning hands, tools and surfaces prior to priming. They eliminate the need for harsh cleaners such as turpentine.

| Colour | Size | Code |
|--------|---------------------|-------|
| NA | 200 x 250mm (100pk) | 46012 |

FEATURES & BENEFITS

- Professional trade quality
- Easy to use and safe for skin
- Ideal for hands, tools, floors and other non-porous surfaces
- Removes grease & grime
- Removes fresh, uncured Gorilla Grip, Foam, Silicone, Glue

Gorilla Extra Tough Wipes



DESCRIPTION

Gorilla Extra Tough Wipes are great for cleaning hands and tools. They provide fast and permanent removal of fresh, uncured remains of adhesives and sealants such as Gorilla Grip, MS, PU Foams and Glues.

| Colour | Size | Code |
|--------|--------------------|-------|
| NA | 210 x 165mm (50pk) | 46005 |

FEATURES & BENEFITS

- Easy to use and safe for skin
- Ideal for hands, tools, floors and other non-porous surfaces
- 210 x 165mm, 50 pack

- Removes grease & grime
- Removes fresh, uncured Gorilla Grip, Foam, Silicone, Glue

Gorilla Paint & Glue Wipes



DESCRIPTION

Gorilla Paint & Glue Wipes are great for cleaning hands, tools and surfaces prior to priming. They eliminate the need for harsh cleaners such as turpentine. Excellent for removal of fresh, uncured sealants and adhesives such as Gorilla Grip, MS, PU Foams and Glue.

| Colour | Size | Code |
|--------|--------------------|-------|
| NA | 210 x 165mm (50pk) | 46000 |

- · Easy to use and safe for skin
- Ideal for hands, tools, floors and other non-porous surfaces
- 210 x 165mm, 50 pack

- Removes paint & ink
- Removes fresh, uncured Gorilla Grip, Foam, Silicone, Glue

GUNS

Gorilla Click & Fix Foam Gun



DESCRIPTION

Professional quality expanding foam gun designed and manufactured in Europe to the highest quality standards. Clean gun after every can of foam (using 20107).

| Crow/Silver Fite Click & Fix 750ml 20106 | Colour | Size | Code |
|---|-------------|------------------------|-------|
| Gley/Silver Fits Click & Fix / Sullil 20100 | Grey/Silver | Fits Click & Fix 750ml | 20106 |

FEATURES & BENEFITS

- Designed for use with the Gorilla Click & Fix Expanding Foam range
- Allows for high accuracy and foam flow control
- · Includes disposable gloves and nozzles

Gorilla FixALL Pro 600 Gun



DESCRIPTION

A versatile yet heavy-duty sausage and cartridge gun, ideal for the tradie who wants quality at a good price.

| Colour | Size | Code |
|-----------|------------------|-------|
| Red/Brass | Fits 290ml-600ml | 21116 |

FEATURES & BENEFITS

- Light weight ergonomic design
- Fits cartridges and sausages
- Strong aluminium barrel (plastic barrel sold separately)
- 10mm pawl stronger, smoother, better
- Thrust ratio 1:12 and fits 290ml–600ml

Gorilla Pro Gun



DESCRIPTION

A superb lightweight caulking gun designed for general caulking use.

| Colour | Size | | Code | |
|-----------|--------|------------|-------|--|
| Red/Black | Fits 2 | 90ml-375ml | 21100 | |

- High-quality mechanism
- Industrial construction
- Light weight ergonomic design
- Fits 290m-375ml cartridges

Gorilla FixALL MS Gun Heavy Duty



DESCRIPTION

A cartridge-only gun designed for high-viscosity products; super strong and reliable.

| Colour | Size | Code |
|-----------|------------------|-------|
| Red/Black | Fits 300ml-380ml | 21104 |

FEATURES & BENEFITS

- · Reinforced pawl design Extra strength
- Perfect for MS, high viscosity sealants and adhesives
- Strong size, accurate action
- Fits 300-380ml cartridges

Gorilla FixALL MS 600 Expert Plus Gun



DESCRIPTION

Specifically designed and manufactured for high-viscosity products a super strong and reliable product that fits cartridges and sausages.

| Colour | Size | Code |
|-----------|------------------|-------|
| Red/Black | Fits 290ml-600ml | 21105 |

FEATURES & BENEFITS

- Designed for FixAll MS
- Will fit cartridges or sausages
- 4 times stronger than many standard guns
- Incredibly versatile with a thrust ratio of 1:26s

Gorilla Skeleton Dripless Gun



DESCRIPTION

The perfect DIY gun: lightweight, easy to use and reliable.

| Colour | Size | Code |
|-----------|------------------|-------|
| Red/Black | Fits 300ml-375ml | 11390 |

- Light weight ergonomic design
- · Competitively priced
- Fits 300ml-375ml cartridges
- Includes nozzle-cleaning tool

17 GUNS

Gorilla FixALL Trade Gun



DESCRIPTION

A great mid-range caulking gun; ideal for the user who wants strength and reliability at a good price.

| Colour | Size | Code |
|--------|------------------|-------|
| Blue | Fits 300ml-375ml | 21101 |

- All steel welded construction
- Notched push rod for positive feed
- Fits 300ml–375ml cartridges
- Includes nozzle cutter and cleaning tool

H PACKERS & WEDGES

Gorilla H Packers 83mm



DESCRIPTION

Gorilla H Packer 83mm Starter Pack is uniquely designed for LVL and steel framed constructions. Makes accurate spacing and levelling around windows and doors, a pain-free and easy process. Includes multiple size options for all jobs.

FEATURES & BENEFITS

- Colour indicates size
- · For LVL and Steel Frame
- Durable for 15 years
- Accurate spacing between substrates

| Colour | Size | Code |
|----------|------------------|-------|
| Assorted | Starter Pack | 48840 |
| Yellow | 1.5mm 100pk | 48842 |
| Orange | 2mm 100pk | 48843 |
| Red | 3mm 100pk | 48844 |
| Grey | 4mm 100pk | 48845 |
| Blue | 5mm 100pk | 48846 |
| Black | 6mm 100pk | 48847 |
| Green | 10mm 100pk | 48848 |
| Purple | Slope Wedge 50pk | 48849 |

Gorilla H Packers Original



DESCRIPTION

Gorilla H Packer Original Starter Pack is designed to make accurate spacing and levelling around windows and doors, a painfree and easy process. Includes multiple size options for all jobs.

FEATURES & BENEFITS

- Colour indicates size
- High-quality plastic
- Durable for 15 years
- Accurate spacing between substrates

| Colour | Size | Code |
|----------|--------------|-------|
| Assorted | Starter Pack | 39163 |
| Yellow | 1.5mm 100pk | 48801 |
| Orange | 2mm 100pk | 48802 |
| Red | 3mm 100pk | 48803 |
| Grey | 4mm 100pk | 48806 |
| Blue | 5mm 100pk | 48804 |
| Black | 6mm 100pk | 48805 |
| Green | 10mm 100pk | 48807 |
| | | |

Gorilla H Packers Click & Fix



DESCRIPTION

Gorilla H Packer Click & Fix Single Packs are designed to allow for stacking of packers with combs to prevent movement, giving much greater flexibility and variation when spacing and levelling around windows and doors. Multiple size options for all jobs.

- · Colour indicates size
- · Click together and stackable
- Combs stop movement
- Accurate spacing between substrates

| Colour | Size | Code |
|--------|-------------|-------|
| Yellow | 1.5mm 100pk | 39155 |
| Orange | 2mm 100pk | 39156 |
| Red | 3mm 100pk | 39157 |
| Blue | 5mm 100pk | 39158 |
| Black | 6mm 100pk | 39162 |
| Green | 10mm 100pk | 39159 |

18 H PACKERS & WEDGES

Gorilla Wooden Wedges



DESCRIPTION

Gorilla Wooden Wedges are pre-cut to size for increased ease and accuracy of spacing. Each wedge is approx. 150mm long, 19mm wide and sloped from 15mm high to 2mm low.

| Colour | Size | Code |
|--------------|-------|-------|
| Natural Wood | 20pk | 11506 |
| Natural Wood | 100pk | 11508 |
| Natural Wood | 200pk | 11505 |

FEATURES & BENEFITS

- Multiple pack sizes
- Natural wood
- Slim design
- Assist with accurate spacing

Gorilla Plastic Wedges



DESCRIPTION

Gorilla Plastic Wedges are ideal tools to assist with spacing on any work site. Each wedge is approx. 145mm long, 20mm wide and sloped from 11mm high to 1mm low.

| Colour | Size | Code |
|--------|-------|-------|
| Red | 100pk | 11509 |
| Red | 200pk | 11507 |

- A handy too for the work site
- Helps to hold any gap
- · Helps with spacing

Gorilla PEF Rod 20m



DESCRIPTION

Gorilla PEF Rod is used around windows, doors or other penetration openings to ensures the sealant does not completely fill the cavity. For use with pre-cast concrete slabs and joints between brick and masonry.

| Colour | | Size | Code |
|--------|--|-----------|-------|
| White | | 8mm x 20m | 39194 |

FEATURES & BENEFITS

- Ensures correct joint depth
- Ensures appropriate movement of sealant
- Complies with ASTM standard as per NZ Building Code
- · Water resistant, no water absorption

Gorilla PEF Rod 50m



DESCRIPTION

Gorilla PEF Rod is used around windows, doors or other penetration openings to ensures the sealant does not completely fill the cavity. For use with pre-cast concrete slabs and joints between brick and masonry.

- Ensures correct joint depth
- Ensures appropriate movement of sealant
- Complies with ASTM standard as per NZ Building Code
- Water resistant, no water absorption
- Available in reels for ease of use

| Colour | Size | Code |
|--------|------------|-------|
| White | 6mm x 50m | 39172 |
| White | 8mm x 50m | 39171 |
| White | 10mm x 50m | 39170 |
| White | 13mm x 50m | 39169 |
| White | 15mm x 50m | 39164 |
| White | 20mm x 50m | 39168 |
| White | 30mm x 50m | 39166 |
| White | 25mm x 50m | 39167 |

Gorilla Builders PVC Tape



DESCRIPTION

Gorilla Builders' PVC Tape is a premium tradequality tape with good adhesion to most surfaces. It ensures the seal is watertight and moisture resistant. Great for duct sealing, reinforcing and mending.

| Colour | Size | Code |
|--------|------------|-------|
| Black | 48mm x 30m | 56601 |
| Silver | 48mm x 30m | 11187 |
| White | 48mm x 30m | 56600 |
| Black | 72mm x 30m | 11701 |

FEATURES & BENEFITS

- · Ideal for bonding polythene
- Premium-grade tape
- Watertight, moisture resistant
- · Great for duct sealing, reinforcing and mending
- Good adhesion to most surfaces

Gorilla General Purpose Masking Tape - 1 Day



DESCRIPTION

Gorilla General Purpose Masking Tape 1 Day is a great all-purpose tape that is easy to apply and remove. It can be painted and is water resistant.

FEATURES & BENEFITS

- Great all-purpose tape
- Easy to apply and remove
- · Can be painted over
- · Water resistant

| Colour | Size | Code |
|-----------|------------|-------|
| Off White | 18mm x 50m | 56204 |
| Off White | 24mm x 50m | 56205 |
| Off White | 36mm x 50m | 56206 |
| Off White | 48mm x 50m | 56207 |
| Off White | 24mm x 20m | 06518 |

Gorilla Low Tack Masking Tape - 15 Day



DESCRIPTION

Gorilla Low Tack Masking Tape 15 Day has good adhesion and can be used on most surfaces! It is water resistant and has a clean removal up to 15 days with no residue. Perfect for delicate surfaces such as wallpaper, flooring, glass, and painted and varnished surfaces.

- · Good adhesion
- Can be used on multiple surfaces
- · Clean removal 15 day no residue
- · Water resistant

| Colour | Size | Code |
|--------|------------|-------|
| Blue | 24mm x 50m | 06762 |

Gator Vinyl Masking Tape - 14 Day



DESCRIPTION

Gator Vinyl Masking Tape 14 Day works on most surfaces, inside and outside the house. The perfect tape to use when painting with water based paints. Has a clean, trouble free removal.

| Colour | Size | Code | |
|--------|------------|-------|--|
| Yellow | 48mm x 50m | 56126 | |

FEATURES & BENEFITS

- · Interior and exterior use
- · Works with most surfaces
- Great for water based paints
- · Clean, trouble free removal

Gorilla Supreme PVC Tape - 45 Day



DESCRIPTION

Gorilla Supreme PVC Tape 45 Day is super strong and water resistant, making it ideal for high bond coatings. It can be removed cleanly with no residue up to 45 days! Great high-visibility colour, excellent for masking out aluminium framing without leaving residue.

| Colour | | Size | Code | |
|--------|--|------------|-------|--|
| Orange | | 24mm x 55m | 56124 | |

FEATURES & BENEFITS

- · Great for high-build coatings
- Super strong
- Clean removal no residue up to 45 days
- Water resistant

Gorilla Paint Masker Cloth Tape



DESCRIPTION

Gorilla Paint Masker Cloth Tape has is a highstength easy-to-use, no stretch cloth tape. Perfect for taping edges before applying paint, on sensitive surfaces including plaster work.

| Colour | Size | Code |
|--------|------------|-------|
| Green | 25mm x 25m | 56230 |
| Green | 50mm x 25m | 56231 |

- · Designed for high build coatings
- No stretch
- · Superior strength
- 45 day clean removal

Gator Cloth Duct Tape



DESCRIPTION

Gator Cloth Duct Tape is a heavy duty highstength tape that is perfect for binding, repair jobs and reinforcing. It can be painted over and is water resistant.

| Coloui | JIZE | Couc |
|--------|------------|-------|
| Black | 36mm x 30m | 56622 |
| Silver | 36mm x 30m | 56623 |
| Red | 36mm x 30m | 56621 |
| Black | 48mm x 30m | 56619 |
| Silver | 48mm x 30m | 56620 |
| Red | 48mm x 30m | 56618 |

FEATURES & BENEFITS

- · Heavy duty cloth tape
- Bind, repair, and reinforce
- Can be painted over
- · Water resistant

Gator Foil Tape



DESCRIPTION

Gator Foil Tape has high thermal conductivity, superior conformability. It is moisture and solvent resistant, it also is heat and light reflective.

| Colour | Size | Code |
|--------|------------|-------|
| Foil | 48mm x 45m | 56558 |

FEATURES & BENEFITS

- High thermal conductivity
- Superior conformability
- · Moisture and solvent resistance
- · Heat and light reflective

| Gorilla | Thread | d Seal | Tape |
|---------|--------|--------|-------------|
|---------|--------|--------|-------------|



DESCRIPTION

Gorilla Thread Seal Tape is perfect for sealing plumbing connections to prevent water leaks in joints

| Colour | Size | Code |
|--------|-----------------|-------|
| White | 12mm x 10m | 11703 |
| White | 12mm x 10m 24pk | 11704 |

- 12mm x 0.1mm x 10m x 0.3g/cm3
- For sealing plumbing connections, e.g. pipes and tap threads
- · Prevents water leaking from joints

Gator Bond Breaker Tape



DESCRIPTION

Gator Bond Breaker tape is a PE pressure sensitive tape with super strong adhesion and has a high resistance to dirt and water. Creates a surface that paint coatings and sealants will not adhere to.

| Colour | Size | Code |
|--------|-----------|-------|
| Blue | 12mm x 6m | 56039 |

FEATURES & BENEFITS

- · Bond Breaker for sealants
- Super strong adhesion
- · Excellent dirt and water resistance

Gator Double Sided Foam Tape



DESCRIPTION

Gator Classic Double Sided Foam Tape is a great all purpose double sided tape, that can be used on a multiple surfaces. Provides a consistent thickness and is a quick and easy-to-use permanent solution.

| Colour | Size | Code |
|--------|------------------|-------|
| White | 12mm x 1mm x 60m | 56002 |
| White | 18mm x 1mm x 60m | 56003 |
| White | 30mm x 1mm x 60m | 56005 |
| White | 6mm x 1mm x 60m | 56010 |

FEATURES & BENEFITS

- Great all-purpose double-sided tape
- Permanent
- · Quick and easy to apply
- · Can be used on multi-surfaces

| Gator | Black | Jack | DPC | Plastic | Tape |
|-------|--------------|------|-----|----------------|------|
|-------|--------------|------|-----|----------------|------|



DESCRIPTION

Gator Black Jack DPC Plastic tape is a heavyduty polyethylene-based damp-proof coarse tape perfect for creating a non absorbent barrier between two surfaces such as the framing base plate and concrete. It is quick and easy to apply. Great for construction applications.

- Plastic damp-proof course
- Bituminous membrane
- Heavy duty
- · Easy to use

| Colour | Size | Code |
|--------|-------------|-------|
| Black | 150mm x 30m | 56551 |
| Black | 90mm x 30m | 56550 |

Gator VHB Acrylic Double Sided Tape



DESCRIPTION

Gator VHB Acrylic Double Sided Tape is a clear gel tape with superior adhesion and a high bond strength. Great for consistent space between two surfaces. Used for common framing substrates and lightweight vehicle attachments.

| Colour | Size | Code |
|--------|--------------------|-------|
| Clear | 12mm x 1mm x 33m | 11711 |
| Clear | 12mm x 0.5mm x 33m | 11714 |

FEATURES & BENEFITS

- · Superior adhesion
- · High bond strength
- Used for common framing substrates
- Lightweight vehicle attachments

Gator VHB Double Sided Tape



DESCRIPTION

Gator VHB Double Sided Foam Tape has superior adhesion to most surfaces. With excellent weather and UV resistance it is great for using in automotive, electronic and construction applications.

| Colour | Size | Code |
|--------|------------------|-------|
| Grey | 15mm x 1mm x 33m | 56663 |
| Grey | 30mm x 1mm x 33m | 56664 |
| | | |

FEATURES & BENEFITS

- Available in multi sizes
- Superior adhesion
- Excellent weather and UV resistance
- Great for automotive, electronic and construction applications

Gator SP Surface Protection Tape



DESCRIPTION

Gator SP Surface Protection Tape is a high performance pressure-sensitive wide tape that works as a great moisture, vapour, dirt and paint barrier. It has high elongation and conformability so it can worked and manipulated easily. It is easy to apply and has clean removal (sensitive surfaces for up to 40 days). Fantastic for protecting aluminium doors and aluminium windowsills.

| Colour | Size | | Code | |
|--------|------|---------|-------|--|
| Black | 96mr | n x 50m | 56659 | |

- · High performance
- Moisture, vapour, dirt and paint barrier
- · High elongation and conformabiltiy
- Easy to apply, clean removal

Gator Electrical Insulation Tape



DESCRIPTION

Gator Electrical Insulation Tape is a pressuresensitive tape used to insulate electrical wires/ connections and other materials that can conduct electricity.

FEATURES & BENEFITS

- Economical grade general purpose electrical tape
- Assorted colours
- Coated with aggressive rubber resin
- · Excellent conformability, high elongation

| Colour | Size | Code |
|----------|----------------|-------|
| Black | 18mm x 20m | 11601 |
| Blue | 18mm x 20m | 11602 |
| Red | 18mm x 20m | 11603 |
| White | 18mm x 20m | 11604 |
| Green | 18mm x 20m | 11605 |
| Yellow | 18mm x 20m | 11606 |
| Black | 18mm x 5m 24pk | 00271 |
| Assorted | 18mm x 5m 24pk | 00162 |
| Assorted | 18mm x 20m 3pk | 59599 |

Gator Insulation Tape



DESCRIPTION

Holdfast Insulation Tape is a pressuresensitive tape used to insulate electrical wires/connections and other materials that can conduct electricity.

| Colour | Size | Code |
|----------|---------------|-------|
| Assorted | 12mm x 5m 2pk | 06551 |
| Assorted | 18mm x 5m 3pk | 06556 |

FEATURES & BENEFITS

- Assorted colours
- · Coated with aggressive rubber resin
- Excellent comformability
- · High elongation

Gorilla Guard Tape



DESCRIPTION

Gorilla Guard Tapes compliment the application of the Gorilla Guard "Temporary Protection Membranes", providing up to a 6 month low residue adhesive in New Zealand exterior UV conditions.

| Colour | Size | Code |
|--------|------------|-------|
| Black | 48mm x 66m | 36707 |
| Black | 66mm x 66m | 36708 |
| Black | 96mm x 66m | 36709 |

- PE (Polyethylene) based tape (no shrinkage at the edge)
- Easy unwind from roll with very limited stretch
- Excellent temporary surface protection
- Medium tack adhesive on back
- Excellent as a "Surface Protection" Tape

Gorilla Paint Masker Cloth Tape With Film



DESCRIPTION

Gorilla Paint Masker Cloth Tape with Film is pretaped film for fast and easy application. Perfect for taping edges before applying paint. With a 45 day clean removal, it will leave no residue.

FEATURES & BENEFITS

- Designed for high build coatings
- No stretch
- Superior strength
- 45 day clean removal

| Colour | Size | Code |
|--------|--------------|-------|
| Green | 610mm x 25m | 56218 |
| Green | 1200mm x 25m | 56215 |
| Green | 1800mm x 25m | 56216 |
| Green | 2400mm x 25m | 56217 |

Gorilla Non-Slip Tape



DESCRIPTION

Gorilla Non-Slip Tape creates a coarse gritty non-slip surface. Provides slip resistance to ramps, stairways, ladders, footplates on machines, emergency exits. Has an excellent bond to most dry, clean, smooth surfaces.

| Colour | Size | Code |
|--------|-----------|-------|
| Black | 48mm x 5m | 06662 |

- Coarse grit tape for non slip surface
- · High durability
- Good chemical resistance
- Water, oil and UV resistant
- Easily applied to a wide range of surfaces
- For indoor and outdoor use
- Excellent bond to most dry, clean, smooth surfaces

EXPERTS IN SEALANTS, FOAMS & ADHESIVES



SOUDAL.CO.NZ

SOUDAL NEW ZEALAND LIMITED

FREEPHONE: 0800 70 10 80

OFFICE: 14 Avalon Drive, Nawton, Hamilton 3200, New Zealand POST: PO Box 4206, Hamilton East, Hamilton 3247, New Zealand