




SOUDAL NEW ZEALAND

PRODUCT CATALOGUE.



**WHEN
YOUR TASK
REQUIRES A
SOLUTION,
WE KNOW
YOU NEED
TO MAKE
ONE, SIMPLE,
STRONG
DECISION.**

We're building our business around that moment. By putting our customers at the centre of our business, we're promising that it's not just our technically advanced products that are up to the task, but that you're up to it too.





**WHATEVER THE
JOB WITH SOUDAL
WE'RE BUILDING
THE FUTURE
TOGETHER!**



CONTENTS

EXPANDING FOAMS

SECTION

01

- 08 Gorilla Pro Expanding Foam Click & Fix
- 08 Gorilla Pro Expanding Foam Aerosol
- 08 Gorilla One Shot Foam
- 09 Gorilla Smart Expanding Foam
- 09 Gorilla Flexi Expanding Foam Click & Fix
- 09 Gorilla Fire Rated Expanding Foam
- 10 Gorilla Foam Gun Click & Fix
- 10 Gorilla Expanding Foam Cleaner Click & Fix
- 10 Gorilla MS Expanding Foam
- 11 Gorilla Expanding Foam Remover
- 11 Gorilla Pro Foam Starter Pack
- 11 Gorilla Fire Rated Starter Pack

SILICONES

SECTION

04

- 17 Gorilla Bathroom & Kitchen Silicone
- 17 Gorilla Plumbers Silicone
- 17 Gorilla Roof & Gutter Silicone
- 18 Gorilla Electrical Silicone
- 18 Gorilla Glass & Ceramic Silicone
- 18 Gorilla 970 Sanitary Silicone
- 19 Gorilla 980 Plumbers Silicone
- 19 Gorilla High Temp Silicone
- 19 Gorilla Silicone Remover
- 20 Gorilla Sealant Remover Spray
- 20 Soudal Silirub Cleanroom Silicone
- 20 Gorilla RTV Silicone Sealer

CONSTRUCTION ADHESIVES

SECTION

02

- 12 Gorilla Grip 10 Minute Cure
- 12 Gorilla Grip 1 Hour Cure
- 12 Gorilla Grip 2 Hour Cure
- 13 Gorilla Wallboard Adhesive
- 13 Soudal Soudaseal 240FC MS Adhesive
- 13 Gorilla Boltfix Anchoring Adhesive
- 14 Gorilla Soudafix Anchoring Adhesive
- 14 Gorilla Grab Construction Adhesive

GAP FILLERS

SECTION

05

- 21 Gorilla Pro Gaps Multipurpose
- 21 Gorilla Pro Gaps Quick Dry
- 21 Gorilla Pro Gaps Exterior
- 22 Gorilla Bog Filler
- 22 Gorilla Plumbers Putty
- 22 Gorilla Linseed Putty

MS SEALANTS & ADHESIVES

SECTION

03

- 15 Gorilla MS Sealant
- 15 Soudal FixALL Crystal
- 15 Soudal FixALL High Tack
- 16 Soudal FixALL Turbo
- 16 Soudal Soudaseal 270HS

FIRE RATED SEALANTS

SECTION

06

- 23 Gorilla Firecryl Acrylic Sealant
- 23 Gorilla Firesil Silicone Sealant
- 23 Gorilla Fire Cement Silicone Sealant
- 24 Soudal Soudaseal® FR Sealant

AUTOMOTIVE

SECTION

07

- 25 Gorilla High Temp Silicone
- 25 Gorilla 940FC Automotive Sealant
- 25 Carbond 955DG Windscreen Sealant
- 26 Carbond 955DG Windscreen Primer

FLOORING

SECTION

08

- 27 Gorilla MS Flooring Vapour Barrier Kit
- 27 Gorilla MS Flooring Adhesive
- 27 Gorilla MS Flooring Trowel
- 28 Gorilla Carpet Gripper

WATER PROOFING

SECTION

09

- 29 Gorilla WaterStop 1000 Waterproof Repair
- 29 Gorilla Waterstop Protect Waterproofing Membrane
- 29 Gorilla BlackJack Bituminous Liquid Waterproofer
- 30 Gorilla BlackJack Sealant

WOOD ADHESIVES & PVAs

SECTION

10

- 31 Gorilla Glue Premium 1 Hour Cure
- 31 Gorilla Glue Premium 3 Hour Cure
- 31 Gorilla Aliphatic PVA
- 32 Gorilla Bond It On Aliphatic
- 32 Gorilla Crosslinking PVA
- 32 Gorilla PVA General Purpose

SUPER GLUES & ULTRA-BONDERS

SECTION

11

- 33 Gorilla Super Glue Easy Brush Adhesive
- 33 Gorilla Super Glue Power Liquid
- 33 Gorilla Super Glue Power Gel
- 34 Soudal Ultrabonder 601 & 606
- 34 Soudal Ultrabonder 909
- 34 Gorilla Thread Locker Adhesive

SPECIALTY ADHESIVES

SECTION

12

- 35 Soudal 2C Super Fast Adhesive
- 35 Gorilla Green Fix
- 35 Gorilla Mirror Fix
- 36 Gorilla Contact Adhesive
- 36 Gorilla H2 Contact Adhesive
- 36 Gorilla Clearbond Craft Adhesive
- 37 Gorilla Epoxy 4 Minute Cure Resin Adhesive

PRIMERS & ACTIVATORS

SECTION

13

- 38 Gorilla 696 Surface Activator
- 38 Gorilla Primer 150
- 38 Gorilla Silicone Spray
- 39 Gorilla Zinc Spray
- 39 Soudal Underbody Protective Coating
- 39 Soudal Anti-Gravel Protective Coating
- 40 Soudal Incoat ML Cavity Protection Wax
- 40 Soudal Primer 100

CONTENTS

TIMBER PROTECTORS

SECTION
14

- 41 Metalex Wood Protector
- 41 Metalex Timber Preservative Aerosol
- 41 Metalex Concentrated Timber Preservative
- 42 Metalex Ready to Use

MANHOLE SEALANT & CONCRETE

SECTION
15

- 43 Soudal Manhole Sealant
- 43 Gorilla Holdcrete Concrete Epoxy Repair
- 43 Gorilla Powercrete Mortar Repair 7min Cure

WIPES

SECTION
16

- 44 Gorilla Trade Tough Wipes
- 44 Gorilla Extra Tough Wipes
- 44 Gorilla Paint & Glue Wipes

GUNS

SECTION
17

- 45 Gorilla Click & Fix Foam Gun
- 45 Gorilla FixALL Pro 600 Gun
- 45 Gorilla Pro Gun
- 46 Gorilla FixALL MS Gun Heavy Duty
- 46 Gorilla FixALL MS 600 Expert Plus
- 46 Gorilla FixALL Skeleton Dripless Gun
- 47 Gorilla FixALL Trade Gun
- 48 Gorilla FixALL Sausage Gun Plunger Pad
- 48 Gorilla FixALL Sausage Gun Backing Washer
- 48 Gorilla Plastic Cap

H PACKERS & WEDGES

SECTION
18

- 49 Gorilla H Packers 83mm
- 49 Gorilla H Packers Original
- 49 Gorilla H Packers Click n Fix
- 50 Gorilla Wooden Wedges
- 50 Gorilla Plastic Wedges

PEF ROD

SECTION
19

- 51 Gorilla PEF Rod 20m
- 51 Gorilla PEF Rod 50m

TAPES

SECTION
20

- 52 Gorilla Builders' PVC Tape
- 52 Gorilla General Purpose Masking Tape
- 52 Gorilla Low Tack Masking Tape
- 53 Gator Vinyl Masking Tape
- 53 Gorilla Supreme PVC Tape
- 53 Gorilla Paint Masker Cloth Tape
- 54 Gator Cloth Duct Tape
- 54 Gator Foil Tape
- 54 Gorilla Thread Seal Tape
- 55 Gator Bond Breaker Tape
- 55 Gator Double Sided Foam Tape
- 55 Gator Black Jack DPC Plastic Tape
- 56 Gator VHB Acrylic Double Sided Tape
- 56 Gator VHB Double Sided Tape
- 56 Gator SP Surface Protection Tape
- 57 Gator Electrical Insulation Tape
- 57 Gator Insulation Tape
- 57 Gorilla Guard Tape
- 58 Gorilla Paint Masker Cloth Tape w/ Film
- 58 Gorilla Non-Slip Tape

DELIVERING YOU INNOVATION.

At our production sites across the world, we have teams of scientists, engineers and application technicians developing state-of-the-art formulations, packaging and accessories to perfectly suit the demands of builders and trade professionals around the world.

Driven by the will to continuously improve and to provide better and more environmentally friendly solutions for our customers, Soudal is leading from the front in product innovation.

We invest more than **NZD\$30,000,000** each year into research and development.



masterspec

When it comes to specifying sealants, foams and adhesives onto plans and drawings the leading industry support tool is Masterspec. We are proud to have a great range of our Gorilla products available on the Masterspec site allowing architects, designers and engineers easy and thorough access to the information they need.

For your quick reference our CBI number is 48115G

01 EXPANDING FOAMS

Gorilla Pro Expanding Foam Click & Fix



DESCRIPTION

Gorilla Pro Expanding Foam Click & Fix is the market-leading single-component self-expanding ready-to-use polyurethane foam using CFC-free propellants. Fitted with a patented Click & Fix adaptor for use only with the Gorilla Foam Gun Click & Fix (20106).

FEATURES & BENEFITS

- Expanding polyurethane foam
- High thermal and acoustical isolation
- Excellent bonding and installing capacity
- BRANZ Appraised
- Insulates and adheres
- Stops air transmission

Colour	Size	Code
Champagne	750ml	20088



Gorilla Pro Expanding Foam Aerosol



DESCRIPTION

A single-component self-expanding ready-to-use polyurethane foam, perfect for the DIYer. Uses CFC-free propellants.

FEATURES & BENEFITS

- BRANZ Appraised
- Excellent adhesion on most materials (except PE/PP)
- High thermal and acoustic isolation
- Excellent bonding and installing capacity
- Excellent mounting ability
- Remains waterproof providing the integrity of the cured foam skin is maintained

Colour	Size	Code
Champagne	750ml	20048
Champagne	400ml	20050
-	3pk spare nozzles	21387



Gorilla One Shot Foam



DESCRIPTION

Gorilla One Shot Foam is an easy-to-use PU foam for filling and fixing, specifically designed for small jobs. The compact canister fits nicely in one hand the unique nozzle allows for accurate filling in the tightest of spaces.

FEATURES & BENEFITS

- Great for small jobs
- Easy to use
- High precision filling in the tightest of spaces
- Stops air transmission
- No shrinkage
- Water resistant
- Can be cut, sanded, plastered, or covered with sealant once cured

Colour	Size	Code
Champagne	150ml	20256

NB: Cured foam can be removed with Gorilla Expanding Foam Remover or mechanically.

Gorilla Smart Expanding Foam



DESCRIPTION

Gorilla Smart Expanding Foam is a ready-to-use self-expanding polyurethane foam unique to Soudal. The smart 'gunless' applicator system makes the application of PU foam very easy and precise. The extrusion straw can be resealed, which makes it possible to continue application from a partially used canister for several weeks. CFC-free propellants.

FEATURES & BENEFITS

- Revolutionary smart applicator gun
- Allows for easy accurate one-handed application
- Re-useable for up to 6 weeks after initial activation
- BRANZ Appraised
- 600ml yields approx 20L cured foam

Colour	Size	Code
Champagne	600ml	20250
Champagne	750ml	20252



Gorilla Flexi Expanding Foam Click & Fix



DESCRIPTION

Gorilla Flexi Expanding Foam Click & Fix is a single-component self-expanding ready-to-use polyurethane foam. Fitted with a patented Click & Fix adaptor for use only with the Gorilla Foam Gun Click & Fix (20106).

FEATURES & BENEFITS

- BRANZ Appraised
- High thermal and acoustic insulation
- High elasticity recovery accommodates movement
- Minimal post expansion
- Excellent adhesion to most substrates
- Can be compressed
- Stable with good gap filling abilities

Colour	Size	Code
Blue	750ml	20041



Gorilla Fire Rated Expanding Foam



DESCRIPTION

Gorilla Fire Rated Click & Fix is a single-component, self-expanding ready-to-use polyurethane foam with a fire rating of up to 240 minutes (Ghent test report 9279). It contains propellants that are completely harmless to the ozone layer. Fitted with a patented Click & Fix adaptor for use only with the Gorilla Foam Gun Click & Fix (20106). Also available in a ready-to-use gunless aerosol.

FEATURES & BENEFITS

- Fire retardant up to 240 minutes
- Efficient seal against smoke and gas
- Excellent adhesion on most substrates (except Teflon, PE and PP)
- High thermal and acoustic insulation
- High bond strength
- Excellent stability: no shrink or post expansion
- Can be painted after full cure

Colour	Size	Code
Light Red	Click & Fix 750ml	20160
Light Red	Aerosol 750ml	20169

01 EXPANDING FOAMS

Gorilla Foam Gun Click & Fix



DESCRIPTION

Professional quality gun for expanding foam canisters, designed and manufactured in Europe to the highest quality standards. Clean gun after every can of foam (using 20107).

Colour	Size	Code
Grey/Silver	<input checked="" type="checkbox"/> Fits Click & Fix 750ml	20106
Clear	<input type="checkbox"/> 3pk spare nozzles	21424

FEATURES & BENEFITS

- Designed for use with the Gorilla Click & Fix Expanding Foam range
- Allows for high accuracy and foam flow control

Gorilla Expanding Foam Cleaner Click & Fix



DESCRIPTION

Gorilla Expanding Foam Cleaner Click & Fix is a ready-to-use cleaning aerosol can for use on all products in the Gorilla Foam Click & Fix range. Fitted with a patented Click & Fix adaptor for use only with Gorilla Foam Gun Click & Fix (20106).

Size	Code
500ml	20107

FEATURES & BENEFITS

- Cleans foam guns & nozzles
- Removes uncured foam
- Easy to use Click & Fix system
- Use after every can of foam

Gorilla MS Expanding Foam



DESCRIPTION

Gorilla MS Expanding Foam is the first "isocyanate free" expanding foam in the world! It is great for filling cavities, mounting and sealing of windows and doorframes, creation of soundproof screens, etc. Utilizes a moisture-curing system and performs best on moderately wet, porous surfaces (wood, concrete, stone).

Colour	Size	Code
Champagne	<input checked="" type="checkbox"/> 500ml	20255

FEATURES & BENEFITS

- Good adhesion on most substrates
- High thermal and acoustical insulation
- Excellent stability (no shrink or post expansion)
- Very good filling capacities
- Excellent flow control
- Reusable for up to 6 weeks

Gorilla Expanding Foam Remover



DESCRIPTION

Gorilla Expanding Foam Remover is a ready-to-use gel that easily removes cured expanding foam from surfaces such as plastics, metals and PVC.

FEATURES & BENEFITS

- Removes cured expanding foam
- Fast working
- Re-usable
- Easy to use
- Pack includes application brush and spatula

Size	Code
100ml	19921

Gorilla Pro Foam Starter Pack



DESCRIPTION

The ultimate Gorilla Foam Starter Pack that covers all the foam bases from start to finish.

FEATURES: includes one of each of the following core products:

- 1 x 20088 Gorilla Pro Expanding Foam Click & Fix 750ml
- 1 x 20106 Gorilla Foam Gun Click & Fix
- 1 x 20107 Gorilla Expanding Foam Cleaner Click & Fix 500ml
- 1 x 46000 Mr Gorilla Paint and Glue Wipes 50 pack

Size	Code
Starter Pack	20089

Gorilla Fire Rated Foam Starter Pack



DESCRIPTION

The Gorilla Fire Rated Foam Starter Pack combines all the key fire rated products you need in one easy-to-carry case.

FEATURES: includes one of each of the following core products:

- 1 x 20160 Gorilla Fire Rated Expanding Foam Click & Fix 750ml
- 1 x 20107 Gorilla Expanding Foam Cleaner Click & Fix 500ml
- 1 x 20106 Gorilla Click & Fix Foam Gun

Size	Code
Starter Pack	20275

02 CONSTRUCTION ADHESIVES

Gorilla Grip 10 Minute Cure Construction Adhesive



DESCRIPTION

Gorilla Grip 10 Minute is a single-component ready-to-use translucent polyurethane-based construction adhesive. With a 10-minute curing time it is perfect for small, quick jobs.

FEATURES & BENEFITS

- Instant direct stick
- Can be applied with a caulking gun
- Professional quality – 100% solids, no shrinkage
- Fast Curing
- Paintable
- Expands while curing to fill uneven surfaces within the band line
- Non-staining on porous substrates
- Water resistant
- Solvent free

Colour	Size	Code
Translucent <input type="checkbox"/>	310ml	19288

Gorilla Grip 1 Hour Cure Construction Adhesive



DESCRIPTION

Gorilla Grip 1 Hour is New Zealand's most trusted single-component ready-to-use translucent polyurethane-based construction adhesive. With a 1-hour curing time it is ideal for wooden flooring systems.

FEATURES & BENEFITS

- BRANZ Appraised
- Suitable for most substrates
- 100% solids, no shrinkage
- Will stick to damp surfaces
- Professional quality
- Fast strength build-up
- Paintable once cured
- Expands during curing to fill uneven surfaces within the band line
- Waterproof D4
- Solvent free

Colour	Size	Code
Translucent <input type="checkbox"/>	310ml	20075
Translucent <input type="checkbox"/>	310ml (2pk)	90013



Gorilla Grip 2 Hour Cure Construction Adhesive



DESCRIPTION

Gorilla Grip 2 Hour is a single-component ready-to-use translucent construction adhesive with a polyurethane base. The tradies' favourite for more than twenty years, with a 2-hour curing time it gives increased working time, allowing you to adjust as you go.

FEATURES & BENEFITS

- BRANZ Appraised
- Suitable for most substrates
- 100% solids, no shrinkage
- Will stick to damp surfaces
- Professional quality
- Extended working time
- Fast curing
- Paintable
- Expands during curing to fill uneven surfaces within the band line
- Solvent free

Colour	Size	Code
Translucent <input type="checkbox"/>	80ml hangsell	01307
Translucent <input type="checkbox"/>	80ml	19291
Translucent <input type="checkbox"/>	310ml	19290
Translucent <input type="checkbox"/>	600ml	19387



Gorilla Wallboard Adhesive



DESCRIPTION

Gorilla Wallboard Adhesive is a solvent-free construction adhesive with high bond strength and an extremely high initial grab (over 140kg/m²).

FEATURES & BENEFITS

- High initial grab
- Ideal for overhead usage with no drip
- Solvent free
- No shrinkage
- Steel frame compatible

Colour		Size	Code
White	<input type="checkbox"/>	380ml	20013
White	<input type="checkbox"/>	600ml	19317

Soudal Soudaseal 240FC MS Adhesive



DESCRIPTION

Soudal Soudaseal 240FC is a high-quality single-component product with high adhesive strength and initial tack. It is based on MS Polymer technology and is excellent for strong elastic bonding in areas subject to vibration.

FEATURES & BENEFITS

- Very easy to tool and finish
- Good extrudability even at low temperatures
- Outstanding bond strength on nearly all surfaces
- High-performance mechanical properties
- No odour and VOC-friendly

Colour		Size	Code
White	<input type="checkbox"/>	600ml	20098
Grey	<input checked="" type="checkbox"/>	600ml	20101
Black	<input checked="" type="checkbox"/>	600ml	20105

Gorilla Boltfix Anchoring Adhesive



DESCRIPTION

Gorilla Boltfix Anchoring Adhesive is a rapid curing two part chemical anchoring system based on epoxy acrylate.

FEATURES & BENEFITS

- Styrene-free and suitable for exterior applications
- Fast curing
- Pressure-free and ideal for securing threaded rods, reinforcement bars, profiles, etc.

Colour		Size	Code
Grey	<input checked="" type="checkbox"/>	300ml	21423
-		3pk spare nozzles	21424

- Use on solid and hollow materials
- Wide application area, even in wet drill holes, under water and at low temperatures

02 CONSTRUCTION ADHESIVES

Gorilla Soudafix Anchoring Adhesive



DESCRIPTION

Gorilla Soudafix Anchoring Adhesive is a rapid curing two-part seismic (C1) anchoring system. Delivers styrene-free (low odour), is watertight and has a high chemical resistance. Suitable for a wide application area, even in wet drill holes and at low temperatures.

FEATURES & BENEFITS

- Seismic tested (C1)
- Application in both cracked and uncracked concrete
- Suitable for attachment points close to the edge
- High chemical resistance
- Fire resistance class R120 (M8-M30)
- Watertight and impermeable fixing
- High load capacity
- Great for vertical and overhead applications
- Rapid curing
- Pressure-free securing

Colour	Size	Code
Grey	300ml	20268
-	3pk spare nozzles	21424

Gorilla Grab Construction Adhesive



DESCRIPTION

Gorilla Grab is a high performance solvent based, paste like construction adhesive that is formulated to bond a wide variety of common construction materials such as timber, gypsum, polystyrene and most metals.

FEATURES & BENEFITS

- Polystyrene safe
- Suitable for multiple substrates such as wallboard, plasterboard, metals, timber and flooring
- High strength
- Easy application, good viscosity
- High solid content, meaning less shrinkage
- Waterproof packaging
- Bonds to both damp & dry timbers
- Interior & exterior use

Colour	Size	Code
Beige	300ml	20274

Gorilla MS Sealant



DESCRIPTION

Gorilla MS Sealant is an all-purpose single-component joint sealant based on the latest MS polymer technology. Designed for all types of construction joints.

FEATURES & BENEFITS

- Low slump
- The whitest of whites
- 900% elongation of break
- High performance MS
- BRANZ Appraised
- Works on damp surfaces
- Paintable 1 hour after application
- UV resistant
- AsureQuality tested
- Easily repairable

Colour	Size	Code
White	420gm	20600
Grey	420gm	20601
Black	415gm	20602
White	420g (2pk)	90010
Black	600ml	20603
Grey	600ml	20604
White	600ml	20605
Titania	600ml	20607

Soudal FixALL Crystal



DESCRIPTION

Soudal FixAll Crystal Sealant and Adhesive is an optically clear, neutral, elastic, single-component sealant/adhesive based on MS-Polymers, outstanding for those areas where you need the clearest of finishes.

FEATURES & BENEFITS

- Cartridge contains recycled plastic!
- Completely transparent
- Anti-fungal formulation
- Permanently elastic
- Solvent and isocyanate free
- Strong bond on nearly all surfaces
- Interior and exterior
- Super easy to tool and finish

Colour	Size	Code
Clear	125ml	19332
Clear	300g	19331

Soudal FixALL High Tack



DESCRIPTION

Soudal FixALL High Tack Sealant is a single-component joint sealant based on MS-Polymer technology. It delivers 140kgs of initial tack while still being able to be manipulated.

FEATURES & BENEFITS

- Cartridge contains recycled plastic!
- High-performance MS sealant
- High flexibility
- Solvent free
- Odourless
- Will stick to damp surfaces
- Paintable 1 hour after application under normal conditions
- UV and weather resistant

Colour	Size	Code
White	125ml	20305
Black	465gr	20301
Grey	465gr	20302
White	465gr	20303

03 MS SEALANTS & ADHESIVES

Soudal FixALL Turbo



DESCRIPTION

The ultimate MS Polymer adhesive when speed matters. Its ultra-fast action, combined with great bonding strength, makes it ideal for all tasks where speed and time are important, such as signage and tiling.

Colour	Size	Code
White	<input type="checkbox"/> 125ml	20312
White	<input type="checkbox"/> 290ml	20311

FEATURES & BENEFITS

- Hand-tight in 20 mins
- Full strength in 3 hours
- Offers 20% flexibility
- 100% solvent free
- Paintable
- Delivers great UV and weather resistance

Soudal Soudaseal 270HS



DESCRIPTION

Soudal Soudaseal 270HS is a high-quality single-component sealant and adhesive. It is based on MS-Polymer technology and is chemically neutral, fully elastic and offers very good mechanical properties.

Colour	Size	Code
White	<input type="checkbox"/> 290ml	20084
Black	<input checked="" type="checkbox"/> 290ml	20093
White	<input type="checkbox"/> 600ml	20085

FEATURES & BENEFITS

- Does not contain isocyanates
- Combines high-end strength with certain rigidity
- High initial tack and fast build-up of end strength
- Colour stability and UV resistance
- No bubble formation within sealant (in high temperature and humidity applications)
- Can be painted with water-based systems and industrial varnishes
- Very easy to tool and finish

Gorilla Bathroom & Kitchen Silicone



DESCRIPTION

Gorilla Bathroom & Kitchen Silicone Sealant is a high-quality neutral-cure elastic single-component silicone-based joint sealant ideal for joints in sanitary rooms (on synthetic baths and tubs) and kitchens, top sealing in glazing, and sealing in refrigerators.

FEATURES & BENEFITS

- Sanitary formula
- Excellent moisture and mould resistance
- Very easy to apply
- Colourfast and UV resistant
- Permanent elasticity after curing
- Low modulus
- Corrosion free

Colour	Size	Code
Clear	300ml	19310
Titania	300ml	19940
White	300ml	19944
White	300ml (2pk)	90009
Titania	600ml	19950

Gorilla General Purpose Silicone



DESCRIPTION

Gorilla General Purpose Silicone is a fast-curing neutral-cure fully elastic single-component joint sealant suitable for top sealing of glazing jobs, sealing between treated wood and metal profiles and sealing between PVC and glass.

FEATURES & BENEFITS

- Very easy application
- Permanent colour, good UV-resistance
- Fast skin formation
- Stays elastic after curing
- Very good adhesion on many materials
- Low modulus
- Waterproof
- Neutral cure, safe for fish tanks

Colour	Size	Code
Clear	300ml	19305
White	300ml	19306
Black	300ml	19307
Clear	300ml (2pk)	90008
Grey	300ml	19308
Clear	600ml	20188

Gorilla Roof & Gutter Silicone



DESCRIPTION

Gorilla Roof & Gutter Silicone is a fast-curing neutral-cure fully elastic joint sealant, ideal for sealing horizontal and vertical joints in wall and roof connections, repair and renovation of roof and gutter systems, and connection and expansion joints on roof works.

FEATURES & BENEFITS

- Very easy application
- Permanent colour, good UV-resistance
- Fast skin formation
- Stays elastic after curing
- Very good adhesion on many materials
- Impervious to mould
- Corrosion free

Colour	Size	Code
Clear	300ml	19700
Grey	300ml	19703
Copper	300ml	19381
Black	300ml	19382
Clear	2pk	90011

04 SILICONES

Gorilla Electrical Silicone



DESCRIPTION

Gorilla Electrical Silicone Sealant is a fast-curing neutral-cure fully elastic single-component joint sealant ideally suited for lead wire entries, conduit terminal boxes, component mounting, conduit ends, cover plates and conductor entry boxes.

FEATURES & BENEFITS

- UV resistant
- Non-corrosive
- Waterproof
- Excellent levels of ingress protection
- Fast and neutral cure

Colour	Size	Code
Clear	☐ 310ml	19323

Gorilla Glass & Ceramic Silicone



DESCRIPTION

Gorilla Glass & Ceramic Silicone Sealant is a high-quality elastic single-component acetic-cure joint sealant, ideal for glazing and connection joints, and general building and construction joints.

FEATURES & BENEFITS

- Very easy application
- UV-resistant
- Stays elastic after curing
- Very good adhesion on many materials
- Fast skinning
- Interior and exterior

Colour	Size	Code
Black	■ 300ml	19279
White	☐ 300ml	19299
Clear	☐ 300ml	19304

Gorilla 970 Sanitary Silicone



DESCRIPTION

Gorilla 970 Sanitary Silicone Sealant is a high-quality neutral-cure elastic single-component silicone-based joint sealant ideal for joints in sanitary rooms (on synthetic baths and tubs) and kitchens, top sealing in glazing, and sealing in refrigerators and air-conditioning systems.

FEATURES & BENEFITS

- Long open time
- Excellent moisture and mould resistance
- Very easy to apply
- Colourfast and UV resistant
- Permanent elasticity after curing
- Corrosion free
- Adheres to substrates that are not subject to immersion, water pressure or high stress

Colour	Size	Code
Clear	☐ 300ml	23201
White	☐ 300ml	23202

Gorilla 980 Plumbers Silicone



DESCRIPTION

Gorilla 980 Plumbers Silicone is a neutral-cure fully elastic single-component joint sealant suitable for top sealing of glazing jobs, sealing between treated wood and metal profiles and sealing between PVC and glass.

FEATURES & BENEFITS

- Non-acidic
- Permanently flexible
- UV-resistant
- Seals sheet metal, aluminium roofing, flashing and guttering
- Easy application

Colour	Size	Code
Translucent	300ml	23200

Gorilla High Temp Silicone



DESCRIPTION

Gorilla High Temp is an elastic, single-component engineering sealant based on silicone that withstands very high temperatures. It is ideal for sealing between metal components, sealing of heating installations, and pumps and engines.

FEATURES & BENEFITS

- Excellent resistance to fuels, oils and grease
- High temperature resistance up to 280°C
- Very easy to apply
- Permanent elastic after curing
- Good resistance to water, aliphatic solvents, mineral oils, grease, diluted inorganic acids and alkalis

Colour	Size	Code
Black	310ml	20140

Gorilla Silicone Remover



DESCRIPTION

Gorilla Silicone Remover is a ready-made gel for the easy removal of cured silicones and MS Polymers.

FEATURES & BENEFITS

- Ready to use, no mixing required
- Liquid, easy application
- Non-sagging
- Suitable for silicone and MS Polymer sealants

Colour	Size	Code
Clear	100ml	19920

04 SILICONES

Gorilla Sealant Remover Spray



DESCRIPTION

Gorilla Sealant Remover Spray is a ready-to-use and fast-working spray, based on terpenes, for removing hardened silicones and MS polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

FEATURES & BENEFITS

- Removes silicone and MS polymers
- Compatible with most substrates
- Ready-to-use
- Quick acting

Size	Code
400ml	75133

Soudal Silirub Cleanroom Silicone



DESCRIPTION

Soudal Silirub Cleanroom Silicone is a high-quality neutral-cure elastic single-component silicone-based joint sealant suitable for joints in sanitary rooms and kitchens, top sealing in glazing, sealing in refrigerators and container construction and sealing of insulated cool store panels.

FEATURES & BENEFITS

- Long open time
- Excellent moisture and mould resistance
- Very easy to apply
- Colourfast and UV resistant
- Permanent elasticity after curing
- Corrosion free
- Adheres to substrates that are not subject to immersion, water pressure or high stress

Colour	Size	Code
Titania <input type="checkbox"/>	310ml	19313
Titania <input type="checkbox"/>	600ml	20187

Gorilla RTV Acetic Silicone



DESCRIPTION

Gorilla RTV Acetic Silicone is a one part sealant that offers excellent adhesion, weather resistant and elasticity for general glazing; glass, plastic, channel or stop.

FEATURES & BENEFITS

- Acetic acid curing system
- Outstanding durability
- Single-component – no mixing required
- Permanently flexible
- Weather-proof
- Low shrinkage
- No sagging
- UV resistance
- Primerless adhesion to most materials

Colour	Size	Code
White <input type="checkbox"/>	30ml	01308

Gorilla Pro Gaps Multipurpose



DESCRIPTION

Gorilla Pro Gaps Multipurpose is a one-component sealant, with good adhesion without a primer on building materials like concrete, brickwork, painted wood, anodized aluminium and PVC. Apply to joints between stairs and walls, between concrete and ceiling elements, between wall and ceiling, skirting boards, windowsills and aerated concrete.

FEATURES & BENEFITS

- Almost odour free
- Forms an elastic water-resistant skin after full cure
- Does not stain
- Excellent adhesion to porous substrates
- Paintable after 20 minutes (given the diversity of available paints it is recommended to do a compatibility test prior to application)

Colour	Size	Code
White	<input type="checkbox"/> 300ml	01403
White	<input type="checkbox"/> 300ml (3pk)	01400
White	<input type="checkbox"/> 300ml (2pk)	90007

Gorilla Pro Gaps Quick Dry



DESCRIPTION

Gorilla Pro Gaps Quick Dry is a one-component, quickly paintable, plasto-elastic sealant based on acrylic dispersion. Due to its unique composition, it minimizes the risk of crazing and cracking, even with highly filled and covering paints. Great for finishing seams and gaps or repairing cracks and drilling holes in porous surfaces that need to be painted, such as plasterboard, concrete and stone.

FEATURES & BENEFITS

- Almost odour free
- Very easy to apply and finish
- Colourfast and waterproof after curing
- Paintable after 10 minutes
- Paintable with many paint types

Colour	Size	Code
White	<input type="checkbox"/> 310ml	19277

Gorilla Pro Gaps Exterior



DESCRIPTION

Gorilla Pro Gaps Exterior Filler is a one-component highly qualified, plasto-elastic sealant based on acrylic dispersions. Great for connection joints with maximum movement of 15%. Examples of use include joints on window sills, filling gaps between plinths and walls, and between masonry.

FEATURES & BENEFITS

- Almost odour free
- Excellent adhesion to porous substrates and aluminium
- Does not stain
- Paintable after curing

Colour	Size	Code
White	<input type="checkbox"/> 310ml	19278

05 GAP FILLERS

Gorilla Bog Filler



DESCRIPTION

Gorilla Bog Filler is a two-component polyester putty based on unsaturated polyester resins. Great for filling scratches, tears, and dents in metal plates; even zinc and galvanised surfaces. Ideal for dealing with car dents.

FEATURES & BENEFITS

- Very easy to apply
- Fast curing
- Lasting adhesion
- Specified for use with ITI Timspec Weathertex Systems
- Can be treated quickly after application (e.g. grinding, sanding)
- Automotive uses

Colour	Size	Code
Grey	500g	01412
Grey	1000g	01414
Grey	2kg (x2)	01431

Gorilla Plumbers Putty



DESCRIPTION

Gorilla Plumbers' Putty is a ready-to-use paste, which can be kneaded into the required form for many plumbing applications and sealing of metals. Used to install sanitary equipment (toilets and sinks) on floors and taps into sinks.

FEATURES & BENEFITS

- Excellent adhesion
- Remains elastic
- High bond strength
- Withstands water, acids and alkalis

Colour	Size	Code
White	150g	01296
White	250g	01292

Gorilla Linseed Window Putty



DESCRIPTION

Gorilla Linseed Window Putty is a high quality filler and sealant based on linseed oil and modified with synthetic resins. Use when installing glass sheets in greenhouses and verandas or when repairing glazing that has been sealed with window putty.

FEATURES & BENEFITS

- Ideal for window frames
- Paintable
- Suitable for timber, concrete and metals
- Easy to knead

Colour	Size	Code
Natural Beige	1kg	01471

Gorilla Firecryl Acrylic Sealant



DESCRIPTION

Gorilla Firecryl Acrylic Sealant is a fire-resistant, smoke-tight (heat load intumescent) plasto-elastic sealant based on acrylic dispersion.

Colour	Size	Code
White	310ml	20060
Grey	600ml	21427

FEATURES & BENEFITS

- High dB attenuation
- Prevents the passage of fire and smoke
- Intumesces when exposed to temperatures higher than 120°C
- Can be painted after curing
- Very easy to apply
- Colourfast and waterproof after curing
- Very good adhesion on porous surfaces

Gorilla Firesil Silicone Sealant



DESCRIPTION

Gorilla Firesil Silicone is a high-quality neutral-cure elastic single-component sealant based on silicones that conforms to the DIN4102 B1 standard for fire retardancy and has a fire rating of up to 4 hours in certain joint configurations (EN 1366 part 4 – NN713.020 – BS 476/20). Ideal for linear building and glazing joints that require a fire rating and fire rated expansion joints.

Colour	Size	Code
Grey	310ml	20165

FEATURES & BENEFITS

- Very easy to apply
- Colourfast and UV resistant
- Remains permanently elastic after full cure
- Very good adhesion on most surfaces
- Low modulus

Gorilla Fire Cement Silicone Sealant



DESCRIPTION

Gorilla Fire Cement is a high-quality single-component ready-to-use heat-resistant sealant that cures to form a hard seal. It withstands temperature of up to 1,500°C and is ideal for joints and openings of furnaces, heating systems and BBQs.

Colour	Size	Code
Black	310ml	20190

FEATURES & BENEFITS

- <120 minute fire rating (refer to testing)
- Heat resistance <1,500°C
- BBQs and pizza ovens
- Rigid when cured

06 FIRE RATED SEALANTS

Soudal Soudaseal® FR Sealant



DESCRIPTION

Soudaseal FR® SMX is a fire-resistant, professional quality, elastic joint sealant. Internal and external applications. Testing of Soudaseal FR® has been carried out in asper the directives of AS1530.4 and in accordance with AS4072.1 on the following substrates being, Concrete masonry, Aerated-Autoclaved Concrete, Block & Plaster-board walls.

FEATURES & BENEFITS

- Fire Resistant up to 240mins
- Smoke-tight formulation
- Suitable for use on both porous and non-porous surfaces
- Primerless adhesion on many substrates (except where water pressure may occur)
- Neutral cure SMX Polymer
- Low VOC
- No bubble formation within sealant (in high temperature and humidity applications)
- Excellent weather resistance in all climates
- Colour stability and UV resistant
- Paintable, with water-based paints

Colour	Size	Code
Grey	600ml	56219

Gorilla High Temp Silicone



DESCRIPTION

Gorilla High Temp is an elastic, single-component engineering sealant based on silicone, which withstands very high temperatures. It is ideal for sealing between metal components, sealing of heating installations, and pumps and engines.

FEATURES & BENEFITS

- Excellent resistance to fuels, oils and grease
- High temperature resistance up to 280°C
- Very easy to apply
- Permanently elastic after curing
- Good resistance to water, aliphatic solvents, mineral oils, grease, diluted inorganic acids and alkalis

Colour	Size	Code
Black	310ml	20140

Gorilla 940FC Automotive Sealant



DESCRIPTION

Gorilla 940FC Automotive PU Sealant is a high quality, elastic, one-component adhesive for structural bonding of body elements based on polyurethane. Ideal for structural bonding in vibrating and automotive constructions, sealing and bonding applications in the building industry, and sealing of shrinking joints in concrete floors.

FEATURES & BENEFITS

- Very easy to apply
- Permanently elastic after curing
- Excellent adhesion
- High resistance to many chemicals
- Agri Quality approved for flooring joints

Colour	Size	Code
Black	310ml	20054
White	310ml	20055
Grey	310ml	20082
Black	600ml	20064
White	600ml	20066
Grey	600ml	20069

Carbond 955DG Windscreen Sealant



DESCRIPTION

Carbond 955 DG Windscreen Sealant is a ready-to-use, elastic, single-component adhesive/sealant based on polyurethane for installing windcreens in vehicles.

FEATURES & BENEFITS

- Good sag resistance
- High end strength
- Good colour stability, and weather & UV resistance
- Use with Carbond 955 DG Windscreen Primer

Colour	Size	Code
Black	310ml	20063

Carbond 995DG Windscreen Primer



DESCRIPTION

Carbond 955DG Windscreen Primer is only to be used with Carbond 955DG Windscreen Sealant. It is an adhesion promoter with Carbond 955DG Windscreen Sealant.

FEATURES & BENEFITS

- Increases bond strength
- To be used before applying Carbond 955DG Windscreen Sealant

Colour	Size	Code
Clear	<input type="checkbox"/> 30ml	20091

Gorilla MS Flooring Vapour Barrier Kit



DESCRIPTION

Gorilla MS Flooring Vapour Barrier Kit is a two-component water-based moisture sealant for use over old and new concrete to provide a vapour barrier prior to applying a flooring system.

FEATURES & BENEFITS

- Cures in 4 hours
- Non-toxic and odourless
- Non-flammable
- Easy to mix and apply
- Only one coat required

Colour	Size	Code
Green	4L (2x2L)	18995

Gorilla MS Flooring Adhesive



DESCRIPTION

Gorilla MS Flooring is a ready-to-use one-component, water- and solvent-free flooring adhesive, which cures by means of a chemical reaction within the adhesive. Once fully cured, an elastic non-shrinking layer is formed, which is resistant to moisture and heat.

FEATURES & BENEFITS

- Contains no isocyanates
- Superior European formulation
- Resistant to moisture and heat
- Forms and maintains stable peaks when applied with a notched trowel

Colour	Size	Code
White	600ml	18994
White	6kg	18999
White	18kg (3x6kg)	18998

Gorilla MS Flooring Trowel 4mm



DESCRIPTION

The Gorilla MS Flooring trowel is to be used in combination with Gorilla flooring products.

FEATURES & BENEFITS

- Exclusive trowel for MS Flooring Adhesive
- Delivers the specified bead of the product
- Accurate dispenser
- Made of steel

Size	Code
4mm	19001

Gorilla Carpet Gripper



DESCRIPTION

Gorilla Carpet Gripper is a one component, ready to use polyurethane based adhesive with excellent water resistance.

FEATURES & BENEFITS

- Waterproof polyurethane formulation (D4 rating)
- Professional quality
- Interior/Exterior suitability
- Bonds to a variety of substrates & materials
- Foaming penetration to expand into cavities
- Fast curing
- 100% solids
- Solvent free

Colour	Size	Code
Brown	500ml	01493

Gorilla Waterstop 1000



DESCRIPTION

Gorilla WaterStop 1000 Stretchable Waterproof Repair is a ready-to-use fibre-reinforced, protective roof coating for use on wet or dry surfaces. It is a thick, viscous liquid that is applied using a brush, roller or pallet knife and forms a completely waterproof rubber barrier. Ideal for the repair and protection of roofs, and sealing of leaks, cracks and joints.

FEATURES & BENEFITS

- Fully elastic when cured
- Synthetic fibres enhance structural strength
- Solvent-based acrylic polymer
- For use in wet or dry conditions
- Possible to apply in sub-zero temperatures
- UV resistant — will not discolour
- Will bridge large gaps
- Long life
- Withstands large temperature variations
- Will bond across 2mm gap (greater than this requires the use of mesh reinforcing tape)

Colour	Size	Code
Grey	750g	19388
Grey	10kg	19393

Gorilla Waterstop Protect



DESCRIPTION

Gorilla Waterstop Protect is a ready-to-use, protective roof coating for use on dry surfaces, which enables the waterproofing of cracks and bubbles in inclined roofing, terraces, balconies and cupolas.

FEATURES & BENEFITS

- Solvent free
- Fully elastic when cured
- Waterproof and colourfast
- Resistant to UV and temperature variations

Colour	Size	Code
White	1L	36686
White	4L	36687
White	20L	36691

NB: Previously Holdfast EPM6

Gorilla BlackJack Membrane



DESCRIPTION

BlackJack is a water-based, high-performance ready-to-use, cold-applied high-build liquid waterproofing membrane based on polymer-modified bitumen emulsion. BlackJack forms a seamless, highly elastic and durable film that adheres well to most common substrates, e.g. concrete, cement blocks, retaining walls, wood, and wet areas such as kitchen, toilet floors and balconies. BlackJack is highly resistant to chlorides and sulphates commonly present in soil.

FEATURES & BENEFITS

- Single component, ready to use
- Easy to use
- Non-flammable and non-toxic
- Applicable immediately after removal of the formwork
- Environment friendly

Colour	Size	Code
Black	1L	36696
Black	4L	36688
Black	20L	36689

Gorilla BlackJack Sealant



DESCRIPTION

Gorilla BlackJack is a Bituminous based sealant is especially formulated for the sealing between asphalt based roofing materials, roofing materials in general and difficult to seal against plastics (LDPE/HDPE) against other construction materials in a UV Protected environment.

FEATURES & BENEFITS

- Smooth finishing
- Weatherproof seal
- Seals leaks, cracks and joints
- Use on eaves, gutters and skylights
- Specified with Marshall Innovations Pro-Joists
- Remains flexible
- Suitable for horizontal and vertical applications
- Suitable for application onto wet substrates

Colour	Size	Code
Black	310ml	19926

Gorilla Glue Premium 1 Hour Cure



DESCRIPTION

Gorilla Glue Premium 1 Hour Cure is a single-component, ready-to-use polyurethane-based adhesive with excellent water resistance, requiring only 30 minutes of clamping.

FEATURES & BENEFITS

- Glues almost anything
- Waterproof polyurethane formulation (D4 rating)
- Also suitable for timbers with a moisture content between 14%–26%
- Interior/Exterior suitability
- Foaming penetration to expand into cavities
- Solvent free

Colour	Size	Code
Brown	 500ml	01494

Gorilla Glue Premium 3 Hour Cure







DESCRIPTION

Gorilla Glue Premium 3 Hour Cure is a single-component ready-to-use polyurethane-based adhesive with excellent water-repellent properties.

FEATURES & BENEFITS

- Glues almost anything
- Waterproof polyurethane formulation (D4 rating)
- Professional quality
- Interior/Exterior suitability
- Foaming penetration to expand into cavities
- Solvent free

Colour	Size	Code
Brown	 1L refill tin	01495
Brown	 250ml	01498
Brown	 500ml	01499
Brown	 5L	20065

Gorilla Aliphatic PVA









DESCRIPTION

Gorilla Aliphatic PVA is a top-quality woodworking adhesive formulated for general use and is suitable for a variety of timbers including Rimu, Beech and Pine as well as MDF and ply.

FEATURES & BENEFITS

- Ideal for face/edge joinery
- Suitable for interior use
- Sandable
- Heat and water resistant (D3 rating)

Colour	Size	Code
Pale Cream	 250ml	01372
Pale Cream	 500ml	01373
Pale Cream	 1L	01374
Pale Cream	 2L	01375
Pale Cream	 4L	01376
Pale Cream	 20L	01377

10 WOOD ADHESIVES & PVAS

Gorilla Bond It On Aliphatic



DESCRIPTION

Gorilla Bond It On Aliphatic PVA is a woodworking adhesive, suitable for interior/exterior woodworking assembly. Mechanical fasteners are recommended for heavy loads. Has a moderate open-time, but will set rapidly when clamped or pressed.

FEATURES & BENEFITS

- Specifically formulated for use with NZ native timber
- Ideal for face/edge joinery
- Sandable and paintable
- Suitable for interior/exterior use
- Heat and water resistant (D3 rating)

Colour	Size	Code
Pale Cream	<input type="checkbox"/> 100ml	01344
Pale Cream	<input type="checkbox"/> 250ml	01345
Pale Cream	<input type="checkbox"/> 500ml	01346
Pale Cream	<input type="checkbox"/> 1L	01361
Pale Cream	<input type="checkbox"/> 2L	01347
Pale Cream	<input type="checkbox"/> 4L	01348
Pale Cream	<input type="checkbox"/> 20L	01349

Gorilla Crosslinking PVA



DESCRIPTION

Gorilla Crosslinking PVA is a pre-catalyzed, fast setting emulsion adhesive with an excellent shelf life. The product is ready for use and requires no mixing of catalysts.

FEATURES & BENEFITS

- Ideal for bonding MDF
- Dries clear, ideal for face/edge joinery
- Heat and water resistance (D3 rating)
- Suitable for interior and exterior
- Rapid and high strength

Colour	Size	Code
White (Dries Clear)	<input type="checkbox"/> 250ml	23000
White (Dries Clear)	<input type="checkbox"/> 500ml	23001
White (Dries Clear)	<input type="checkbox"/> 1L	23002
White (Dries Clear)	<input type="checkbox"/> 5L	23003
White (Dries Clear)	<input type="checkbox"/> 20L	23004

Gorilla PVA General Purpose



DESCRIPTION

Gorilla PVA General Purpose is a water-based synthetic adhesive, ideal for paper applications, such as bag making, board laminating and tube winding.

FEATURES & BENEFITS

- High initial tack and sets fast
- Ideal carton and packaging adhesive
- Heat and water resistant (D3 rating)
- Complies with FDZ Reg article 21FR175.105 for indirect food contact
- Cleans up with water

Colour	Size	Code
White (Dries Clear)	<input type="checkbox"/> 60ml	01370
White (Dries Clear)	<input type="checkbox"/> 100ml with spreader	01371

Gorilla Super Glue Easy Brush



DESCRIPTION

Gorilla Super Glue is a high-strength, fast-setting adhesive that can be used for most fastening jobs. It has been specially formulated to achieve the strongest possible bond between well-mated non-porous surfaces, such as rubber, metals, plastics, and glass, without the need for a catalyst, heat or clamps.

FEATURES & BENEFITS

- High strength
- Top fast-setting adhesive
- Single component
- Solvent free
- Non-spill bottle
- Accurate application
- Flexible brush

Colour	Size	Code
Clear	5g	00180

Gorilla Super Glue Power Liquid



DESCRIPTION

Gorilla Super Glue Power Liquid is a high-strength, fast-setting adhesive that can be used for most types of fastening jobs. It is a unique product delivering the fastest setting ability among cyanoacrylate adhesives.

FEATURES & BENEFITS

- Specially designed for bonding and repairing of wooden furniture
- Fast bonding
- Contains application nozzle
- Dries clear
- Can also be used on ceramics, metals, hardwood and most plastics
- Solvent free
- Does not require use of catalyst, heat or clamps

Colour	Size	Code
Clear	10g hangsell	00178
Clear	3g tube	01300
Clear	3g tube 2pk	01303

Gorilla Super Glue Power Gel



DESCRIPTION

Gorilla Super Glue Power Gel is a non-running gel glue for ease of application to walls and ceilings. It provides a longer setting time giving user enough time to put materials together and reposition after application.

FEATURES & BENEFITS

- Ideal for bonding metals, rubber, plastics, leather, and wood
- Repositionable
- 2–20 second cure time
- High viscosity

Colour	Size	Code
Clear	3g tube	01378

11 SUPER GLUES & ULTRA-BONDERS

Soudal Ultrabonder 601 & 606



DESCRIPTION

Soudal Ultrabonder 601 and 606 are low-viscosity, fast-curing single-component adhesives specifically designed for difficult substrates such as plastics and rubbers.

FEATURES & BENEFITS

- 3–5 second cure time
- Solvent-free clear liquid
- High-performance instant adhesive
- Great for model making and industrial use

Colour	Size	Code
Clear	<input type="checkbox"/> 50g 601	09102
Clear	<input type="checkbox"/> 20g 606	09151

Soudal Ultrabonder 909



DESCRIPTION

Soudal Ultrabonder 909 is a black thermally resistant, single-component instant adhesive gel. It has been specially formulated to provide high impact adhesion peel and improved resistance to heat, humidity or damp conditions. Can be used for almost any type of fastening job.

FEATURES & BENEFITS

- Excellent for bonding non-porous surfaces, such as rubber, metals, plastics, glass, etc
- High strength
- Fast setting/fixing adhesive
- Solvent free
- Does not require the use of catalyst, heat or clamps

Colour	Size	Code
Clear	<input type="checkbox"/> 20g	09188

Gorilla Thread Locker Adhesive



DESCRIPTION

Gorilla Thread Locker is a solvent free that is used for locking and sealing of threaded fasteners which require normal disassembly with standard hand tools.

FEATURES & BENEFITS

- Withstands vibration
- Heat resistant
- Prevents leaks
- Ideal for bearings, nuts, bolts and screws

Colour	Size	Code
Blue	<input checked="" type="checkbox"/> 10ml	01295

Soudal 2C Super Fast Adhesive



DESCRIPTION

Soudal 2C Super Fast Adhesive is a 2-part professional adhesive with an aerosol activator. It is a multi-purpose adhesive that provides high bond strength and moisture resistance. Perfect for applications where final cure speed needs to be accelerated.

Colour	Size	Code
NA	50g/200ml	01305

FEATURES & BENEFITS

- Great for mitre joints
- Sets in seconds
- High bond strength
- Moisture resistant
- Use on: wood, MDF, plastic, metal, porcelain, leather, ceramics and more

Gorilla Green Fix



DESCRIPTION

Gorilla Green Fix is a high-strength all-weather adhesive based on MS Polymer technologies suitable for the bonding and repairing of small areas of artificial grass on many different substrates.

Colour	Size	Code
Green	290ml	20318

FEATURES & BENEFITS

- Designed for the fix & repair of artificial turf surfaces
- Suitable for both internal & external use

Gorilla Mirror Fix



DESCRIPTION

Gorilla Mirror Fix is a high-quality neutral-cure single-component mirror adhesive based on MS polymer technologies.

Colour	Size	Code
White	290ml	20319

FEATURES & BENEFITS

- Compatible with both silver and vinyl backed mirror systems
- Fast curing
- No risk of staining on porous substrates
- Remains elastic after curing
- Solvent free
- Paintable with all water-based paints
- Colourfast
- No odour
- Good adhesion, even on moist substrates/surfaces

12 SPECIALTY ADHESIVES

Gorilla Contact Adhesive



DESCRIPTION

Gorilla Contact Adhesive Spray is an all-purpose ready-to-use aerosol contact adhesive.

FEATURES & BENEFITS

- Repositionable or permanent adhesive
- Suitable for plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber
- Non-wrinkling
- Photo safe
- Non-clog nozzle

Colour	Size	Code
Translucent	<input type="checkbox"/> 300ml	75140

Gorilla H2 Contact Adhesive



DESCRIPTION

Gorilla H2 Contact Adhesive delivers a high-strength heat-resistant bond and is excellent for use on a range of porous and non-porous materials.

FEATURES & BENEFITS

- Fast drying
- Permanent bond
- Waterproof
- Suitable for plastic, laminates, carpet, vinyl, skirting, leather and resin rubber

Colour	Size	Code
Light Brown	<input type="checkbox"/> 30ml	01323
Light Brown	<input type="checkbox"/> 250ml + brush	01319
Light Brown	<input type="checkbox"/> 1L	01321
Light Brown	<input type="checkbox"/> 4L	01322

Gorilla Clearbond Craft Adhesive



DESCRIPTION

Gorilla Clear Bond Craft Adhesive is a colourless elastic adhesive designed to bond a range of craft materials.

FEATURES & BENEFITS

- Strong craft adhesive
- All purpose use
- Dries clear, quick setting
- Bonds to most surfaces

Colour	Size	Code
Clear	<input type="checkbox"/> 30ml	01336

Gorilla Epoxy 4 Minute Cure Resin Adhesive



DESCRIPTION

Gorilla Epoxy Resin Adhesive is a fast setting, non-shrinking, clear colour epoxy adhesive. With high mechanical strength, excellent resistance to most chemicals and reliable heat resistance, it is perfect for any project requiring a 4 minute set time.

FEATURES & BENEFITS

- 2 part epoxy resin
- Sets in 4 minutes
- Dries clear

Colour	Size	Code
Clear	<input type="checkbox"/> PART A 3ml + PART B 3ml	01324

13 PRIMERS & ACTIVATORS

Gorilla 696 Surface Activator



DESCRIPTION

Gorilla 696 Surface Activator is a cleaner, degreaser and primer. Surface Activator will activate non-porous surfaces such as plastics, coatings and metal for improved adhesion of sealants based on silicone, polyurethane and MS Polymer. Use to prepare some plastics, powder coatings and other non-porous surfaces before bonding and sealing.

Colour	Size	Code
Translucent	<input type="checkbox"/> 100ml	19391
Translucent	<input type="checkbox"/> 500ml	19389
Translucent	<input type="checkbox"/> 5L	19392

FEATURES & BENEFITS

- Liquid, easy to use
- To be used as a cleaner and primer on non-porous surfaces
- Suitable for silicone, polyurethane and hybrid sealants

Gorilla Primer 150



DESCRIPTION

Gorilla Primer 150 is a universal primer for porous surfaces to be used to prepare the area before applying silicone sealants and MS Polymer-based sealants. To be used on walls of expansion joints, and walls of porous materials with high water exposure.

Colour	Size	Code
Clear	<input type="checkbox"/> 500ml	20057

FEATURES & BENEFITS

- Liquid, easy application
- Suitable for silicones and MS Polymer-based sealants and adhesives

Gorilla Silicone Spray



DESCRIPTION

Gorilla Silicone Spray is a transparent spray with lubricating and anti-adhesive characteristics based on high-grade silicone oil. Ideally suited for light lubrication of plastics and rubbers such as sliding doors and rubber seals. Silicone spray also creates a water-repellent layer and protects the electrical wiring of cars, engines and lawn mowers from moisture. Not to be used for brake drums and brake discs. Treated surfaces cannot be painted.

Colour	Size	Code
Clear	<input type="checkbox"/> 400ml	21611

FEATURES & BENEFITS

- Lubricates and water-repellent
- Lowers friction and reduces wear of mechanical parts
- Rust and corrosion resistant
- Can be used on electrical insulating
- For indoor and outdoor use
- Aerosol can be used at any angle (360°)
- Gives plastics and rubber a glossy finish

Gorilla Zinc Spray



DESCRIPTION

Gorilla Zinc Spray is a high-grade sprayable zinc compound. Zinc spray has a galvanizing effect. Protects zinc and unprocessed iron and steel against corrosion. To be used for coachwork, gutter braces and weld joints; also suitable for spot welding.

FEATURES & BENEFITS

- Good resistance against mechanical shocks, rubbing and erosion
- Contains 98% Zinc
- Can be used on rust
- Good electrical conductor

Colour	Size	Code
Grey	400ml	75129

Soudal Underbody Protection



DESCRIPTION

Soudal Underbody Protective Coating is a ready-to-use waterproof coating which can be applied using an airless gun or an air-pressured gun. It is used to form a protective layer against rust and mechanical abrasion. Protects wheel arches and car underbodies against corrosion.

FEATURES & BENEFITS

- Creates a tough elastic layer with excellent protection against rust, oils, salt and abrasion
- Can be painted
- Sound deadening
- Resistant to water and solvents

Colour	Size	Code
Black	500ml aerosol	20164
Black	1kg gun grade	20155

Soudal Antigraavel



DESCRIPTION

Soudal Anti-Gravel protective coating is a ready-to-use waterproof coating that can be applied by either air pressured or airless coating equipment. It forms a protective coating against stone chips, rust, water and sand.

FEATURES & BENEFITS

- Creates a tough elastic layer
- Does not contain bitumen or asphalt
- Sound deadening
- Water repellent
- Withstands temperature extremes
- Can be painted with all types of car varnishes when dried
- Resistant to water and solvents

Colour	Size	Code
Black	500ml aerosol	20167
Black	1kg gun grade	20163

13 PRIMERS & ACTIVATORS

Soudal Incoat ML Wax



DESCRIPTION

Soudal Incoat ML Wax is a ready-to-use anti corrosion coating that can be applied by either air-pressured or airless coating equipment. It forms a protective layer inside cavity areas in cars such as wheel arches and car box sections. Provides general rust protection for machines, machine parts and tools.

FEATURES & BENEFITS

- Contains pure wax
- Forms a permanent, slightly tacky wax coat after drying
- Cleans, producing a corrosion resistant barrier
- Deep penetration action
- Forms a water repellent coating that protects against rust
- Does not drip
- High temperature resistance

Colour	Size	Code
Translucent <input type="checkbox"/>	1kg gun grade	20172

Soudal Primer 100



DESCRIPTION

Soudal Primer 100 is a universal primer for porous surfaces to be used with polyurethane based sealants. For priming of porous surfaces (timber, concrete and plaster) prior to application of polyurethane based sealants.

FEATURES & BENEFITS

- Liquid, easy application
- Suitable for all professional sealants based on polyurethane

Colour	Size	Code
Translucent <input type="checkbox"/>	500ml	20202

Metalex Wood Protector



DESCRIPTION

Metalex Wood Protector is a product designed to protect timber from both environmental and insect attacks.

FEATURES & BENEFITS

- Durable transparent timber preservative
- Waterproofs
- Prevents aging and weathering
- Protects from UV rays, insects and mould

Colour	Size	Code
Clear <input type="checkbox"/>	20L	43998
Clear <input type="checkbox"/>	4L	43999

Metalex Timber Preservative Aerosol



DESCRIPTION

Metalex Timber Preservative Aerosol is a specially developed wood preservative that helps builders and fencers/farmers to retain the treatment envelope of treated timber after it has been drilled or cut. Ideal for fencing, decking, flooring, garden furniture, pergolas, window trims, gates and many other timber applications.

FEATURES & BENEFITS

- Convenient easy-to-use pre-mixed treatment solution
- Ideal for preserving your timber on the go
- Prevents against attacks from insects and rot
- Suitable for soft and hardwoods, rough sawn, dressed, moulded timber, engineered woods and plywood

Colour	Size	Code
Clear <input type="checkbox"/>	400ml	44000
Green <input checked="" type="checkbox"/>	400ml	44007*

*** Endorsed for use with Goldpine timber**

Metalex Concentrated Timber Preservative



DESCRIPTION

Metalex Concentrated Timber Preservative is a preparation for the envelope and remedial treatment of fibrous products including timber.

FEATURES & BENEFITS

- Protects against insect attacks and fungus
- Water-resistant finish
- Easy to apply
- Available in clear or green
- Reduces moisture uptake
- Limits weathering, swelling and grain raising

Colour	Size	Code
Green <input checked="" type="checkbox"/>	500ml	44001
Green <input checked="" type="checkbox"/>	1L	44002
Green <input checked="" type="checkbox"/>	4L	44003
Green <input checked="" type="checkbox"/>	20L	44009
Clear <input type="checkbox"/>	500ml	44004
Clear <input type="checkbox"/>	1L	44005
Clear <input type="checkbox"/>	4L	44006
Clear <input type="checkbox"/>	20L	44010

14 TIMBER PROTECTORS

Metalex Ready To Use



DESCRIPTION

Metalex Ready To Use protects timbers and timber products from insect attack, fungal decay, warping, cracking, weathering, cupping, swelling and grain rising. It is ideal for the end sealing and protection of timber reveals used in the window joinery industry as a simple ready-to-use method to achieve compliance with the NZ Building Code.

FEATURES & BENEFITS

- Features dual-action active ingredients in a safer solvent carrier
- Comes ready to use — no on-site mixing required
- Contains Zinc Naphthenate anti-fungal compound
- Non-acidic — will not corrode typical metal fittings or powder-coated finishes
- Contains special waxes to help reduce the effects of weathering

Colour	Size	Code
Clear	1L	44213
Clear	4L	44214
Green	1L	44220*
Green	4L	44221*

* Endorsed for use with **Goldpine timber**

Soudal Manhole Sealant

DESCRIPTION

Soudal Manhole Sealant is a butyl rubber sealing tape ideal for sealing and glazing applications in drainage systems. Because of its form and ease of handling, it is a highly economical installation solution.



FEATURES & BENEFITS

- Ideal for drainage systems
- Flexible
- Will not harden
- Has good weather and aging resistance
- Will not stain

Colour	Size	Code
Grey	16mm x 3.8m	20079
Grey	20mm x 3.8m	20197

Gorilla Holdcrete Concrete Epoxy Repair

DESCRIPTION

Gorilla Holdcrete Concrete Epoxy Repair is an economical highly filled heavy-duty epoxy mortar.



FEATURES & BENEFITS

- Super-strong structural repair
- Sticks concrete to concrete
- Sticks to damp surfaces
- Patches and repairs concrete
- Heavy-duty epoxy mortar

Colour	Size	Code
Grey	400ml	01851
Grey	1L	01852
Grey	4L	01853
Grey	8L	01854

Gorilla Powercrete 7min Cure Mortar Repair

DESCRIPTION

Gorilla Powercrete Repair Mortar is a very fast-setting repair mortar with high early and late strength. Gorilla Powercrete Repair Mortar is designed to repair precast and in-situ concrete where high repair strength is required.



FEATURES & BENEFITS

- High strength
- Fast setting — sets in 7 minutes
- Wide application
- Will cure underwater

Colour	Size	Code
Grey	10kg	01860

Gorilla Trade Tough Wipes



DESCRIPTION

Gorilla Trade Tough Wipes are great for cleaning hands, tools and surfaces prior to priming. They eliminate the need for harsh cleaners such as turpentine.

FEATURES & BENEFITS

- Professional trade quality
- Easy to use and safe for skin
- Ideal for hands, tools, floors and other non-porous surfaces
- Removes grease & grime
- Removes fresh, uncured Gorilla Grip, Foam, Silicone, Glue

Colour	Size	Code
NA	200 x 250mm (100pk)	46012

Gorilla Extra Tough Wipes



DESCRIPTION

Gorilla Extra Tough Wipes are great for cleaning hands and tools. They provide fast and permanent removal of fresh, uncured remains of adhesives and sealants such as Gorilla Grip, MS, PU Foams and Glues.

FEATURES & BENEFITS

- Easy to use and safe for skin
- Ideal for hands, tools, floors and other non-porous surfaces
- 210 x 165mm, 50 pack
- Removes grease & grime
- Removes fresh, uncured Gorilla Grip, Foam, Silicone, Glue

Colour	Size	Code
NA	210 x 165mm (50pk)	46005

Gorilla Paint & Glue Wipes



DESCRIPTION

Gorilla Paint & Glue Wipes are great for cleaning hands, tools and surfaces prior to priming. They eliminate the need for harsh cleaners such as turpentine. Excellent for removal of fresh, uncured sealants and adhesives such as Gorilla Grip, MS, PU Foams and Glue.

FEATURES & BENEFITS

- Easy to use and safe for skin
- Ideal for hands, tools, floors and other non-porous surfaces
- 210 x 165mm, 50 pack
- Removes paint & ink
- Removes fresh, uncured Gorilla Grip, Foam, Silicone, Glue

Colour	Size	Code
NA	210 x 165mm (50pk)	46000

Gorilla Click & Fix Foam Gun



DESCRIPTION

Professional quality expanding foam gun designed and manufactured in Europe to the highest quality standards. Clean gun after every can of foam (using 20107).

FEATURES & BENEFITS

- Designed for use with the Gorilla Click & Fix Expanding Foam range
- Allows for high accuracy and foam flow control
- Includes disposable gloves and nozzles

Colour	Size	Code
Grey/Silver	☐ Fits Click & Fix 750ml	20106

Gorilla FixALL Pro 600 Gun



DESCRIPTION


A versatile yet heavy-duty sausage and cartridge gun, ideal for the tradie who wants quality at a good price.

FEATURES & BENEFITS

- Light weight ergonomic design
- Fits cartridges and sausages
- Strong aluminium barrel (plastic barrel sold separately)
- 10mm pawl – stronger, smoother, better
- Thrust ratio 1:12 and fits 290ml–600ml

Colour	Size	Code
Red/Brass	☐ Fits 290ml-600ml	21116

Gorilla Pro Gun



DESCRIPTION

A superb lightweight caulking gun designed for general caulking use.

FEATURES & BENEFITS

- High-quality mechanism
- Industrial construction
- Light weight ergonomic design
- Fits 290m-375ml cartridges

Colour	Size	Code
Red/Black	☐ Fits 290ml-375ml	21100

Gorilla FixALL MS Gun Heavy Duty



DESCRIPTION

A cartridge-only gun designed for high-viscosity products; super strong and reliable.

FEATURES & BENEFITS

- Reinforced pawl design — Extra strength
- Perfect for MS, high viscosity sealants and adhesives
- Strong size, accurate action
- Fits 300-380ml cartridges

Colour	Size	Code
Red/Black	Fits 300ml-380ml	21104

Gorilla FixALL MS 600 Expert Plus Gun



DESCRIPTION


Specifically designed and manufactured for high-viscosity products a super strong and reliable product that fits cartridges and sausages.

FEATURES & BENEFITS

- Designed for FixAll MS
- Will fit cartridges or sausages
- 4 times stronger than many standard guns
- Incredibly versatile with a thrust ratio of 1:26s

Colour	Size	Code
Red/Black	Fits 290ml-600ml	21105

Gorilla Skeleton Dripless Gun



DESCRIPTION

The perfect DIY gun: lightweight, easy to use and reliable.

FEATURES & BENEFITS

- Light weight ergonomic design
- Competitively priced
- Fits 300ml-375ml cartridges
- Includes nozzle-cleaning tool

Colour	Size	Code
Red/Black	Fits 300ml-375ml	11390

Gorilla FixALL Trade Gun



DESCRIPTION

A great mid-range caulking gun; ideal for the user who wants strength and reliability at a good price.

FEATURES & BENEFITS

- All steel welded construction
- Notched push rod for positive feed
- Fits 300ml–375ml cartridges
- Includes nozzle cutter and cleaning tool

Colour	Size	Code
Blue	 Fits 300ml-375ml	21101

Gorilla FixALL Sausage Gun Plunger Pad



DESCRIPTION

Plunger pad to fit:

- 21116 Gorilla FixALL Pro 600 290-600ml Gun

FEATURES & BENEFITS

- Replacement gun piece
- Professional quality

Colour	Size	Code
Blue	 Fits 290ml-600ml	21120

Gorilla FixALL Sausage Gun Backing Washer



DESCRIPTION

Backing Washer to fit:

- 21116 Gorilla FixALL Pro 600 290-600ml Gun

FEATURES & BENEFITS

- Replacement gun piece
- Professional quality

Colour	Size	Code
Metal	 Fits 290ml-600ml	21121

Gorilla Plastic Cap




DESCRIPTION

Screw on black plastic cap to fit the following guns:

- 21116 Gorilla FixALL Pro 600 290-600ml Gun
- 21105 Gorilla FixALL MS 600 Expert Plus Gun

FEATURES & BENEFITS

- Replacement gun piece
- Professional quality

Colour	Size	Code
Black	 Fits 290ml-600ml	20444

Gorilla H Packers 83mm



DESCRIPTION

Gorilla H Packer 83mm Starter Pack is uniquely designed for LVL and steel framed constructions. Makes accurate spacing and levelling around windows and doors, a pain-free and easy process. Includes multiple size options for all jobs.

FEATURES & BENEFITS

- Colour indicates size
- For LVL and Steel Frame
- Durable for 15 years
- Accurate spacing between substrates

Colour	Size	Code
Assorted	Starter Pack	48840
Yellow	1.5mm 100pk	48842
Orange	2mm 100pk	48843
Red	3mm 100pk	48844
Grey	4mm 100pk	48845
Blue	5mm 100pk	48846
Black	6mm 100pk	48847
Green	10mm 100pk	48848
Purple	Slope Wedge 50pk	48849

Gorilla H Packers Original



DESCRIPTION

Gorilla H Packer Original Starter Pack is designed to make accurate spacing and levelling around windows and doors, a pain-free and easy process. Includes multiple size options for all jobs.

FEATURES & BENEFITS

- Colour indicates size
- High-quality plastic
- Durable for 15 years
- Accurate spacing between substrates

Colour	Size	Code
Assorted	Starter Pack	39163
Yellow	1.5mm 100pk	48801
Orange	2mm 100pk	48802
Red	3mm 100pk	48803
Grey	4mm 100pk	48806
Blue	5mm 100pk	48804
Black	6mm 100pk	48805
Green	10mm 100pk	48807

Gorilla H Packers Click & Fix



DESCRIPTION

Gorilla H Packer Click & Fix Single Packs are designed to allow for stacking of packers with combs to prevent movement, giving much greater flexibility and variation when spacing and levelling around windows and doors. Multiple size options for all jobs.

FEATURES & BENEFITS

- Colour indicates size
- Click together and stackable
- Combs stop movement
- Accurate spacing between substrates

Colour	Size	Code
Yellow	1.5mm 100pk	39155
Orange	2mm 100pk	39156
Red	3mm 100pk	39157
Blue	5mm 100pk	39158
Black	6mm 100pk	39162
Green	10mm 100pk	39159

18 H PACKERS & WEDGES

Gorilla Wooden Wedges



DESCRIPTION

Gorilla Wooden Wedges are pre-cut to size for increased ease and accuracy of spacing. Each wedge is approx. 150mm long, 19mm wide and sloped from 15mm high to 2mm low.

FEATURES & BENEFITS

- Multiple pack sizes
- Natural wood
- Slim design
- Assist with accurate spacing

Colour	Size	Code
Natural Wood	20pk	11506
Natural Wood	100pk	11508
Natural Wood	200pk	11505

Gorilla Plastic Wedges



DESCRIPTION

Gorilla Plastic Wedges are ideal tools to assist with spacing on any work site. Each wedge is approx. 145mm long, 20mm wide and sloped from 11mm high to 1mm low.

FEATURES & BENEFITS

- A handy too for the work site
- Helps to hold any gap
- Helps with spacing

Colour	Size	Code
Red	100pk	11509

Gorilla PEF Rod 20m



DESCRIPTION

Gorilla PEF Rod is used around windows, doors or other penetration openings to ensure the sealant does not completely fill the cavity. For use with pre-cast concrete slabs and joints between brick and masonry.

FEATURES & BENEFITS

- Ensures correct joint depth
- Ensures appropriate movement of sealant
- Complies with ASTM standard as per NZ Building Code
- Water resistant, no water absorption

Colour	Size	Code
White	<input type="checkbox"/> 8mm x 20m	39194

Gorilla PEF Rod 50m



DESCRIPTION

Gorilla PEF Rod is used around windows, doors or other penetration openings to ensure the sealant does not completely fill the cavity. For use with pre-cast concrete slabs and joints between brick and masonry.

FEATURES & BENEFITS

- Ensures correct joint depth
- Ensures appropriate movement of sealant
- Complies with ASTM standard as per NZ Building Code
- Water resistant, no water absorption
- Available in reels for ease of use

Colour	Size	Code
White	<input type="checkbox"/> 6mm x 50m	39172
White	<input type="checkbox"/> 8mm x 50m	39171
White	<input type="checkbox"/> 10mm x 50m	39170
White	<input type="checkbox"/> 13mm x 50m	39169
White	<input type="checkbox"/> 15mm x 50m	39164
White	<input type="checkbox"/> 20mm x 50m	39168
White	<input type="checkbox"/> 30mm x 50m	39166
White	<input type="checkbox"/> 25mm x 50m	39167

Gorilla Builders PVC Tape



DESCRIPTION

Gorilla Builders' PVC Tape is a premium trade-quality tape with good adhesion to most surfaces. It ensures the seal is watertight and moisture resistant. Great for duct sealing, reinforcing and mending.

FEATURES & BENEFITS

- Ideal for bonding polythene
- Premium-grade tape
- Watertight, moisture resistant
- Great for duct sealing, reinforcing and mending
- Good adhesion to most surfaces

Colour	Size	Code
Black	48mm x 30m	56601
Silver	48mm x 30m	11187
White	48mm x 30m	56600
Black	72mm x 30m	11701

Gorilla General Purpose Masking Tape - 1 Day



DESCRIPTION

Gorilla General Purpose Masking Tape 1 Day is a great all-purpose tape that is easy to apply and remove. It can be painted and is water resistant.

FEATURES & BENEFITS

- Great all-purpose tape
- Easy to apply and remove
- Can be painted over
- Water resistant

Colour	Size	Code
Off White	18mm x 50m	56204
Off White	24mm x 50m	56205
Off White	36mm x 50m	56206
Off White	48mm x 50m	56207
Off White	24mm x 20m	06518

Gorilla Low Tack Masking Tape - 15 Day



DESCRIPTION

Gorilla Low Tack Masking Tape 15 Day has good adhesion and can be used on most surfaces! It is water resistant and has a clean removal up to 15 days with no residue. Perfect for delicate surfaces such as wallpaper, flooring, glass, and painted and varnished surfaces.

FEATURES & BENEFITS

- Good adhesion
- Can be used on multiple surfaces
- Clean removal - 15 day no residue
- Water resistant

Colour	Size	Code
Blue	24mm x 50m	56239

Gator Vinyl Masking Tape - 14 Day



DESCRIPTION

Gator Vinyl Masking Tape 14 Day works on most surfaces, inside and outside the house. The perfect tape to use when painting with water based paints. Has a clean, trouble free removal.

FEATURES & BENEFITS

- Interior and exterior use
- Works with most surfaces
- Great for water based paints
- Clean, trouble free removal

Colour	Size	Code
Yellow	48mm x 50m	56126

Gorilla Supreme PVC Tape - 45 Day



DESCRIPTION

Gorilla Supreme PVC Tape 45 Day is super strong and water resistant, making it ideal for high bond coatings. It can be removed cleanly with no residue up to 45 days! Great high-visibility colour, excellent for masking out aluminium framing without leaving residue.

FEATURES & BENEFITS

- Great for high-build coatings
- Super strong
- Clean removal — no residue up to 45 days
- Water resistant

Colour	Size	Code
Orange	24mm x 55m	56124

Gorilla Paint Masker Cloth Tape



DESCRIPTION

Gorilla Paint Masker Cloth Tape has is a high-strength easy-to-use, no stretch cloth tape. Perfect for taping edges before applying paint, on sensitive surfaces including plaster work.

FEATURES & BENEFITS

- Designed for high build coatings
- No stretch
- Superior strength
- 45 day clean removal

Colour	Size	Code
Green	25mm x 25m	56230
Green	50mm x 25m	56231

Gator Cloth Duct Tape



DESCRIPTION

Gator Cloth Duct Tape is a heavy duty high-strength tape that is perfect for binding, repair jobs and reinforcing. It can be painted over and is water resistant.

FEATURES & BENEFITS

- Heavy duty cloth tape
- Bind, repair, and reinforce
- Can be painted over
- Water resistant

Colour	Size	Code
Black	36mm x 30m	56622
Silver	36mm x 30m	56623
Red	36mm x 30m	56621
Black	48mm x 30m	56619
Silver	48mm x 30m	56620
Red	48mm x 30m	56618

Gator Foil Tape



DESCRIPTION

Gator Foil Tape has high thermal conductivity, superior conformability. It is moisture and solvent resistant, it also is heat and light reflective.

FEATURES & BENEFITS

- High thermal conductivity
- Superior conformability
- Moisture and solvent resistance
- Heat and light reflective

Colour	Size	Code
Foil	48mm x 45m	56558

Gorilla Thread Seal Tape



DESCRIPTION

Gorilla Thread Seal Tape is perfect for sealing plumbing connections to prevent water leaks in joints

FEATURES & BENEFITS

- 12mm x 0.1mm x 10m x 0.3g/cm³
- For sealing plumbing connections, e.g. pipes and tap threads
- Prevents water leaking from joints

Colour	Size	Code
White	12mm x 10m	11703
White	12mm x 10m 24pk	11704

Gator Bond Breaker Tape



DESCRIPTION

Gator Bond Breaker tape is a PE pressure sensitive tape with super strong adhesion and has a high resistance to dirt and water. Creates a surface that paint coatings and sealants will not adhere to.

FEATURES & BENEFITS

- Bond Breaker for sealants
- Super strong adhesion
- Excellent dirt and water resistance

Colour	Size	Code
Blue	12mm x 6m	56039

Gator Double Sided Foam Tape



DESCRIPTION

Gator Classic Double Sided Foam Tape is a great all purpose double sided tape, that can be used on a multiple surfaces. Provides a consistent thickness and is a quick and easy-to-use permanent solution.

FEATURES & BENEFITS

- Great all-purpose double-sided tape
- Permanent
- Quick and easy to apply
- Can be used on multi-surfaces

Colour	Size	Code
White	12mm x 1mm x 60m	56002
White	30mm x 1mm x 60m	56005
White	6mm x 1mm x 60m	56010

Gator Black Jack DPC Plastic Tape



DESCRIPTION

Gator Black Jack DPC Plastic tape is a heavy-duty polyethylene-based damp-proof coarse tape perfect for creating a non absorbent barrier between two surfaces such as the framing base plate and concrete. It is quick and easy to apply. Great for construction applications.

FEATURES & BENEFITS

- Plastic damp-proof course
- Bituminous membrane
- Heavy duty
- Easy to use

Colour	Size	Code
Black	150mm x 30m	56551
Black	90mm x 30m	56550

Gator VHB Acrylic Double Sided Tape



DESCRIPTION

Gator VHB Acrylic Double Sided Tape is a clear gel tape with superior adhesion and a high bond strength. Great for consistent space between two surfaces. Used for common framing substrates and lightweight vehicle attachments.

FEATURES & BENEFITS

- Superior adhesion
- High bond strength
- Used for common framing substrates
- Lightweight vehicle attachments

Colour	Size	Code
Clear	□ 12mm x 1mm x 33m	11711
Clear	□ 12mm x 0.5mm x 33m	11714

Gator VHB Double Sided Tape



DESCRIPTION

Gator VHB Double Sided Foam Tape has superior adhesion to most surfaces. With excellent weather and UV resistance it is great for using in automotive, electronic and construction applications.

FEATURES & BENEFITS

- Available in multi sizes
- Superior adhesion
- Excellent weather and UV resistance
- Great for automotive, electronic and construction applications

Colour	Size	Code
Grey	■ 15mm x 1mm x 33m	56663
Grey	■ 30mm x 1mm x 33m	56664

Gator SP Surface Protection Tape



DESCRIPTION

Gator SP Surface Protection Tape is a high performance pressure-sensitive wide tape that works as a great moisture, vapour, dirt and paint barrier. It has high elongation and conformability so it can be worked and manipulated easily. It is easy to apply and has clean removal (sensitive surfaces for up to 40 days). Fantastic for protecting aluminium doors and aluminium windowsills.

FEATURES & BENEFITS

- High performance
- Moisture, vapour, dirt and paint barrier
- High elongation and conformability
- Easy to apply, clean removal

Colour	Size	Code
Black	■ 96mm x 50m	56659

Gator Electrical Insulation Tape



DESCRIPTION

Gator Electrical Insulation Tape is a pressure-sensitive tape used to insulate electrical wires/connections and other materials that can conduct electricity.

FEATURES & BENEFITS

- Economical grade general purpose electrical tape
- Assorted colours
- Coated with aggressive rubber resin
- Excellent conformability, high elongation

Colour	Size	Code
Black	18mm x 20m	11601
Blue	18mm x 20m	11602
Red	18mm x 20m	11603
White	18mm x 20m	11604
Green	18mm x 20m	11605
Yellow	18mm x 20m	11606
Black	18mm x 5m 24pk	00271
Assorted	18mm x 5m 24pk	00162
Assorted	18mm x 20m 3pk	59599

Gator Insulation Tape



DESCRIPTION

Holdfast Insulation Tape is a pressure-sensitive tape used to insulate electrical wires/connections and other materials that can conduct electricity.

FEATURES & BENEFITS

- Assorted colours
- Coated with aggressive rubber resin
- Excellent conformability
- High elongation

Colour	Size	Code
Assorted	12mm x 5m 2pk	06551
Assorted	18mm x 5m 3pk	06556

Gorilla Guard Tape



DESCRIPTION

Gorilla Guard Tapes compliment the application of the Gorilla Guard "Temporary Protection Membranes", providing up to a 6 month low residue adhesive in New Zealand exterior UV conditions.

FEATURES & BENEFITS

- PE (Polyethylene) based tape (no shrinkage at the edge)
- Easy unwind from roll with very limited stretch

Colour	Size	Code
Black	48mm x 66m	36707
Black	66mm x 66m	36708
Black	96mm x 66m	36709

- Excellent temporary surface protection
- Medium tack adhesive on back
- Excellent as a "Surface Protection" Tape

Gorilla Paint Masker Cloth Tape With Film



DESCRIPTION

Gorilla Paint Masker Cloth Tape with Film is pre-taped film for fast and easy application. Perfect for taping edges before applying paint. With a 45 day clean removal, it will leave no residue.

FEATURES & BENEFITS

- Designed for high build coatings
- No stretch
- Superior strength
- 45 day clean removal

Colour	Size	Code
Green	610mm x 25m	56218
Green	1200mm x 25m	56215
Green	1800mm x 25m	56216
Green	2400mm x 25m	56217

Gorilla Non-Slip Tape



DESCRIPTION

Gorilla Non-Slip Tape creates a coarse gritty non-slip surface. Provides slip resistance to ramps, stairways, ladders, footplates on machines, emergency exits. Has an excellent bond to most dry, clean, smooth surfaces.

FEATURES & BENEFITS

- Coarse grit tape for non slip surface
- High durability
- Good chemical resistance
- Water, oil and UV resistant
- Easily applied to a wide range of surfaces
- For indoor and outdoor use
- Excellent bond to most dry, clean, smooth surfaces

Colour	Size	Code
Black	48mm x 5m	06662

